

الطابعات الطرفية المحمولة اللاسلكية محطة POS الكل في واحد ذكي محمول الدفع الذكية

(POS-T2: م/ن)

سمات:



بسرعة 2.3 جيجا هرتز؛ MT6797 Tri-Cluste-A72*2A53*8 معالج عشاري النواة

طابعة إيصالات وملصقات حرارية مدمجة عالية السرعة مقاس 58 مم؛

ذاكرة الوصول العشوائي القياسية 3 جيجا بايت ذاكرة القراءة فقط 16 جيجا بايت؛

مكبر صوت مدمج كبير الحجم؛

وحدة نفك مدمجة؛

؛SIM فتحة لبطاقة * 2

؛C من النوع USB دعم الشحن السريع

بطارية الكوبالت النقي ذات سعة كبيرة قابلة للإزالة بقدرة 6400 مللي أمبير في الساعة؛

.وطابعة الإصبع للحصول على الخيارات D وD2 قارئ الرمز الشريطي 1

المواصفات الفنية:

نموذج	POS-T2
اسم	بوصة تعمل باللمس بالسعة، 5.5 دعم التوقيع الإلكتروني
بطارية	فولت / 6400 مللي أمبير 3.8
محول الطاقة	الإدخال: 100-240 فولت، 50/60 هرتز، 1.5 أمبير الإخراج: 5 فولت تيار مستمر/2A
واجهة الشاحن	يو اس بي نوع سي
عرض	
الشاشة الرئيسية	شاشة لمس عالية الدقة 5.5 بوصة
دقة	1280*720
أداء	
وحدة المعالجة المركزية	بسرعة 2.3 جيجا هرتز MT6797 Tri-Cluste-A72*2A53*8 معالج عشاري النواة
كبش	جيجابايت 3
فلاش	فلاش 16 جيجا
تواصل	2G/3G/4G
نظام التشغيل	أندرويد 8.0
زر	زر الطاقة، زر المسح الضوئي، زر التحكم في الصوت
بلوتوث	بلوتوث 4.0
واي فاي	واي فاي 802.11 بي جي ان ايه سي
طابعة	طابعة فواتير حرارية مقاس 58 ملم
لفة ورق	العرض: 58 ملم؛ القطر: 4040 ملم
الماسح الضوئي	فك تشفير الكاميرا (الماسح الضوئي ثنائي الأبعاد (الخيار)
NFC	دعم ISO/IEC 14443A&B, Mifare, بطاقة Felica
SIM فتحة	سيم * 2
مكبر الصوت	مكبر الصوت الرقمي
بصمة الإصبع	(بصمة الإصبع (اختياري)
AGPS نظام تحديد المواقع أو	AGPS دعم نظام تحديد المواقع
مدم	يدعم
الملحقات الطرفية	طرد

مُكَمَّلَات	يو اس بي نوع سي*1
	محول الطاقة * 1
	دليل المستخدم*1
بيئة	
درجة حرارة التشغيل	إلى 40 درجة مئوية 0
درجة حرارة التخزين	إلى 60 درجة مئوية -10
رطوبة العمل	10%~80%
رطوبة التخزين	10%~90%

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING
easy to deal with a variety of working environment





Thermal Receipt
Label Printing



Touch HD
Screen



Multi-version
Connection



5 Million
Pixels



3GB+16GB
Standard



Removable 6400mAh
Large Capacity Battery



NFC
Standard



CPU
Deca-core

Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience



Support 2.4G&5G

Built-in NFC Module

2G/3G/4G communication

Support Download APP from Google Play Store

High Quality and Performance, Your reliable POS



Large paper bin Print more durable

Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.

58mm

Maximum
paper width

42mm

Maximum
paper diameter



■ SMART PRINTING


Thermal Receipt / Label Printing

Built-in high speed 58mm thermal receipt and label printer



5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



2D Barcode Scanner for Optional

5 Million Rear HD Camera
quickly identify barcodes QR codes
record important information



Scan code



Photo



Video



NFC Contactless Card

NFC contactless card reader payment function



Strong Performance



Memory

3GB RAM+16GB ROM



Processor

2.3GHz processor

Built-in MDM Control System



Application Management

Support Software Shielding, Pre-installation, Intergrated Testing, Remote Upgarde and management ,etc.

appMgr

myAppList

marketList

System Customization

Specified APP can be installed or reinstalled by default once Internet connected for first time or be deleted.

systemCustom

defaultApp

Device Management

Check all information and usage status of hardware devices such as operation logs.

deviceMgr

MyDevice

Statistics

Check device activation time, positioning, software information and version.

Statistics

Mydevice

DeviceInfo

Kioak APP

Specified APP runs automatically after the hardware is powered on. Can't quit, can't be uninstalled.

Kioak

Kioak App.

security

Double Frequency WIFI

Double insurance of 4G high Speed network and dual-frequency WIFI network can ensure the real-time data communication in different using environment



2.4G 5G



Large Capacity Battery

Removable 6400mAh large capacity pure cobalt battery



Fingerprint Security

Ministry of Public Security or FBI fingerprints (Optional)

70%

Sensitive
Ascension



Fingerprint ID



Structure specification

SMART PRINTING



Simple construction Easy operation



Dimensions

SMART PRINTING



197*82*57.5mm



Manual measurement has slight errors and does not affect the use.

Packaging accessories

SMART-PRINTING



Beautiful packaging, original accessories



01 Machine 02 User Manual 03 Roller Paper

04 Type C Cable 05 Charging Adaptor

Applicable Scene

Powerful functions such as mobile cashier, receipt printing, pin storage, queuing, billing, label printing, QR code collection, NFC membership management, infrared physical temperature measurement, etc.



Supermarket Cashier



Catering



Convenience Store



Clothing Store



Purchase and Sale



Parking System



Temperature Measurement



Queuing Up



□□□□ □□ □□□□□□:

[POS-T2 SDK](#)