

Wifi 80mm POS

OCPP-809-W

	576/512/; 24x24 18030 ANK;
	A 12 * 24 1.5W * 3.0H mm; B 9 * 17 1.1W * 2.1H mm / 24 * 24 3.0W * 3.0H mm
	JUPC-A / UPC-E / JAN13 EAN13 / JAN8 EAN8 / CODABAR / ITF / CODE39 / CODE93 / CODE128 QR
	250mm / sec 300mm / sec
	USB + USB + LAN + USB + LAN + Wifi + USB + USB
	EPSON ESC / POS
	Win9X / Windows XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Win10 / Linux ESPON
	79.5±0.5mm 72mm
	83mm
	0.06-0.08mm
	100
	DC24V / 2.5A
	0-45°C
	10-80
	190 * 145 * 145 mm
	1.60kg

□□□□	P / N	□□
	OCPP-809-U	USB□□□□□□□□
	OCPP-809-UR	USB + □□□□□□□□
	OCPP-809-UL	USB + Lan□□□□□□□□
	OCPP-809-URL	USB + □□ + □□□□□□□□□□
	OCPP-809-W	Wifi + USB□□□□□□□□
	OCPP-809-BU	□□ + USB + LAN□□□□□□
	OCPP-809-U0	USB□□□□□□□□
	OCPP-809-UR0	USB + □□□□□□□□
	OCPP-809-UL0	USB + Lan□□□□□□□□
	OCPP-809-URL0	USB + □□ + □□□□□□□□□□
	OCPP-809-W0	Wifi + USB□□□□□□□□
	OCPP-809-BU0	□□ + USB + LAN□□□□□□

□□□□□□



□□□□□□



□□□□□

*□□□□

*□□□□□

*□□□□□□

*□Windows□□

*□Linux□□

*□□□□□□□□□□

[*USB Printdemo](#)

[*](#)

[*Wifi](#)

[*SDK-Android](#)

[*](#)