

OCBS -E7

M / N OCBS -E7

OCBS

2.4 16bit

16MB

433MHz

16

OCBS

ABS +

|      |                  |                         |
|------|------------------|-------------------------|
| OCBS |                  |                         |
| OCBS | OCBS -E7         |                         |
| OCBS | OCBS             |                         |
| CPU  | 72MHz            |                         |
| OCBS | T9               |                         |
| OCBS | 16KB             |                         |
| OCBS | 16MB             |                         |
| OCBS | 2.4 "            |                         |
| OCBS | 16 65536         |                         |
| OCBS | 240 * 320        |                         |
| OCBS | OCBS 3.7V 190mAh |                         |
| OCBS | 16               |                         |
| OCBS | 15               |                         |
| OCBS | 138 x 60 x 30    |                         |
|      | OCBS             | ABS +                   |
|      | OCBS             | OCBS                    |
|      | OCBS             | 160                     |
|      | OCBS             | 8                       |
|      | OCBS             | OCBS                    |
|      | EMC              | CE& FCC DOC             |
|      | OCBS             | 650nm                   |
|      | OCBS             | OCBS                    |
|      | OCBS             | OCBS 100 ± 2            |
|      | OCBS             | 3mil                    |
|      | OCBS             | 20 @ 220 @ 200          |
|      | OCBS             | 0 ~ 250mm 0.33mm PCS 90 |
|      | OCBS             | 30°                     |
|      | OCBS             | 65°                     |
|      | OCBS             | 55°                     |
|      | OCBS             | OCBS 30                 |
|      | OCBS             | OCBS/OCBS               |
|      | OCBS             | 1/500                   |

|    |       |   |
|----|-------|---|
|    | □□□   | □□□□LCD   |
|    | □□□□□ | EAN-8□EAN-13□UPC-A□UPC-E□Code 39□Code 93□Code 128□EAN128□Codaber□Industool 2 of 5□Interleave 2 of 5□Matrix 2 of 5□MSI |
| □□ |       | USB 2.0   |
| □□ |       | 433MHz□□Max.300m□   |
|    | □□□□  | -20°C□60°C  |
|    | □□□□  | 0°C□45°C  |
|    | □□    | 5□□95□  |
|    | □□    | □□□5000 Lux□□□□   |



# OCBS-E7





OCBS-E7





OCBS-E7





OCBS-E7





OCBS-E7



□□□□:

[OCBS-E7 Spec](#)