

OEM ODM 17" POS

TM-1701

□□□



□□□□□□

5□4□□□□□□

LED□□A□□□□□

□□□1280*1024@60HZ

□□□□□□□□□□

□□□

□□	TM-1701
□□	17□□□□□□
□□	□□□□□□
□□	□□□□□□□□
VESA	75*75mm □□□□□□□□□□
□□□□□□	□□8□□□□□
□□	
□□□	337.92□□×270.336□□□□
□□□□	0.264*0.264
□□□	5:4
□□□	1280*1024
□□	300cd/m2
□□	1000:1
□□□□	1670□

重量	约160g(含底座)
高度	50mm
颜色	
分辨率	500000004000000
接口	ITO 底座 ITO 底座 FIT
功耗	约0.5W
响应时间	<8ms
刷新率	约0.3Hz
对比度	72%以上
寿命	>3500000 times
其他	
IO接口	12V DC 接口*1 USB *1 接口 15PIN D-sub VGA *1 HDMI*1 接口 音频接口*1 接口
认证	CE, FCC, RoHS, CCC
其他	
尺寸	44.5*180*415mm/8.0kg
重量	630*450*430mm/25kg
其他	
电源	110-240V/50-60HZ, DC12V/4A
接口	USB, VGA, HDMI, 音频
其他	
其他	
其他	
其他	CE, RoHS, CCC, FCC











