

## Thermo-Belegdrucker mit Linux-Treiber, billige Belegdrucker

### (Modell: OCPP-M082)

#### Technische Daten:

Abmessungen (B x T x H)	98 x 103 x 45 mm
Gewicht	280 g
Farbe	Schwarz
Effektive Druckbreite	72 mm
Druckverfahren	Thermo-Direktdruck
Befehl Drucken	ESC / POS-Befehlssatz kompatibel
Druckgeschwindigkeit	Bis 90 mm / sec
Lösung	8 Punkte / mm (203DPI)
Drucken Schrift	In 12X24 / 24x24 in
Säulenkapazität	48 / 24columns
Zeichengröße	1,5 x 3,0 mm (Breite x Höhe) / 3.0x3.0mm (Breite x Höhe)
Papier gröÙe	Durchmesser von 80,0 mm ± 0,1 mm x30.0
Papierstärke	0,06-0,08 mm
Zeichensatz	Alphanumerische / chinesischen Text
Schnittstelle	USB, RS-232, Bluetooth (optional)
Blinken	256KB
Netzteil	9V DC / 2A
Batterieleistung	DC / 2000 mA 7,4 V; Batterie kann in 4-5 Tagen zu bleiben, wenn es voller Kraft ist, kann es 120-150m Papier drucken
Andere Eigenschaften	Papiererkennung, Stromerkennung, manuell heruntergefahren
Arbeitsbedingungen	Temperatur: -10degreeC~50degreeC Luftfeuchtigkeit: 10%~90%
Lagerbedingungen	Temperatur: -20degreeC~70 degreeC Feuchtigkeit: 5%~95%
Gerätename	Kann besonders angefertigt werden, um Buchstaben und Zahlen bis zu 30 ASCII-Zeichen wählen.
Passwort	Default Input Pairing-Code "1234"Es kann angepasst werden. Maximal 6 digitals.
Größe des Netzsteckers	3,5 * 1,1 mm

#### Produktdetails:



**80mm Bluetooth  
Thermal Receipt Printer  
for Andriod or IOS  
OCPP-M082**



**Product Picture**





## Features

### Simple but not easy

Support Windows, Android and iPhone OS;



Bluetooth, USB and RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.



Mini Thermal Printer  
Model: OCOM-8000  
Printing Speed: 80mm/sec  
Paper: 80mm Width  
Power Supply: 5V 1A  
www.ocominc.com



Low power consumption  
and large capacity  
Lithium battery.

### All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



<b>Overall Dimension (W×D×H)</b>	98×103×45mm
<b>Weight</b>	280g
<b>Color</b>	Black
<b>Effective print width</b>	72mm
<b>Print method</b>	Thermal line printing
<b>Print commands</b>	ESC/POS/STAR compatible command set
<b>Print speed</b>	Up to 90mm/sec
<b>Resolution</b>	8 dots/mm(203dpi)
<b>Print font</b>	12x24/ 24x24
<b>Column capacity</b>	48 columns/24 columns
<b>Character size</b>	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm( W x H)
<b>Paper dimensions</b>	80.0±0.1mm x diameter 30.0mm
<b>Paper thickness</b>	0.06 to 0.08mm
<b>Character set</b>	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
<b>Communication Interface</b>	USB/RS-232, Bluetooth
<b>Flash</b>	256KB
<b>Power Adapter</b>	9V DC/1.5A
<b>Battery Power</b>	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
<b>Other features</b>	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.



## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



## Relevante Dokumente:

- \*[TECHNISCHE DATENlon](#)
- \*[Programm Program](#)
- \*[Bedienungsanleitung](#)
- \*[Treiber für WinXP Win2000 WinVista Win7 Win8-32bit](#)
- \*[Treiber für Win7 Win8-64bit](#)
- \*[Treiber für Linux](#)
- \*[Druckerparameter einstellen Werkzeuge](#)
- \*[USB Printdemo\(Application Software-Demo\)](#)
- \*[Bluetooth Printdemo\(Application Software-Demo\)](#)
- \*[SDK für Android](#)
- \*[CD Dateien](#)