

## Android Portable POS Terminal with 58mm thermal Printer

(M/N:POS-Q5&POS-Q6)



### Features:

- Built-in high speed 58mm thermal printer module
- Built-in 5 megapixels camera
- Built-in large volume speaker
- Industrial grade CCD Barcode scanner for optional
- NFC (HF) function for optional
- Support 12V DC interface charging
- 5000mAh large capacity battery

**Product specifications are subject to change without prior notice.**

**Together We Quest For The Best**

## Specification

Model	POS-Q5	POS-Q6
Name	5.99 inch handheld pos terminal	
Housing	plastic with metal combined	
Color	Whole grey commonly (other colors could be customized)	
Battery	7.4V / 5000mAh	
Power Adapter	Input: 100-240V/1.5A 50/60Hz Output: 12V 1A	
I/O	Charging Socket, USB, SIM Slot,3.5mm Headphone	
Display		
Main screen	5.99 inch HD IPS touch screen monitor	
Resolution	1440*720	
Touch screen	Multi-point projected G+G capacitive touch	
Performance		
CPU	Quad core Cortex A17,1.3GHZ	Quad core Cortex A53,1.25GHZ
Communication	3G	4G
Net work	GSM900/1800,WCDMA2100 TD-SCDMA:B34 B39	GSM900/1800,WCDMA2100 TD-SCDMA:B34 B39 FDD-LTE:B1 B3 ,TDD-LTE:B38 B39 B40 B41
RAM	2GB	
Flash	16GB	
Operating System	Android 8.1	
Microphone	MIC Input	
Button	Power button, Scan Button	
Bluetooth	Bluetooth 4.0	
WIFI	WIFI 802.11 b.g.n	
Printer	58mm Thermal Receipt Printer, Printing Speed 90mm/s, Work Life 50 Km,50mm diameter big Paper warehouse	
Paper Roll	Max Diameter 50mm	
Camera	5 megapixels Fixed Focus	
Scanner	1D CCD Scanner (Option)	
RFID	13.56MHZ 14443A NFC (HF) (Option)	
Speaker	1W Single Channel	
Package		
Weight	Gross: 750g	
Package	255*108*70mm	
10 in 1 carton	370*270*230mm/8.0kg	

**Product specifications are subject to change without prior notice.**

**Together We Quest For The Best**

**OCOM Technologies Limited**Website: [www.ocominc.com](http://www.ocominc.com), [www.possolution.com.cn](http://www.possolution.com.cn)E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com)

Tel/Fax: +86.755.8605.3207



Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%

## Product details

**Product specifications are subject to change without prior notice.****Together We Quest For The Best**