

# 58mm thermal receipt printer OCPP-587-UB USB+Bluetooth Port

(M/N:OCPP-587-UB)

## Product description:

OCPP-587 is a Mini 58MM thermal printer, the design exquisite fashion, small and smart, with highly technological sense. Using large motor and a big gear movement design, drag 83MM large diameter roll and achieve 130 mm / s high speed printing at the same time, the perfect solution to solve the problem of common 58mm printer support small diameter roll, print speed slow, enable print more efficient. At the same time, provides a rich interface, including network port (100M), WIFI, Bluetooth, GPRS, enable print more flexible and convenient.

## Product performance:

- Appearance compact design, fashion technology;
- Easy paper feed structure, simple and convenient operation;
- High reliability of large motor and large gear movement;
- 130 mm / s speed print, significantly improve the printing efficiency;
- Big paper warehouse design, the perfect support for 83MM large diameter rolls;
- Rich interface optional: USB, COM, Internet (100M), WIFI, Bluetooth, GPRS;
- Support GB18030 large font and multi language ;
- Supports LOGO and graphics downloads and print;
- Supports Windows, Linux, Android and IOS system print;
- 100M Ethernet interface, print quickly while avoiding losing bills.

## Printer Parameters:

| Items                    | Parameters   |
|--------------------------|--|
| Print parameters         | Printing Method<br>48MM<br>Thermal Line  |
|                          | Printing Method<br>Resolution<br>384dots/Line[8dots/mm][203dpi]  |
|                          | Printing Speed<br>130mm/Second   |
|                          | Interface Type<br>USB[COM][Internet][100M][WIFI][GPRS][Bluetooth]  |
|                          | Line Spacing<br>Line No.<br>Font A:32 character /Line<br>Font B:42 character/Line<br>Standard GB18030 simplified / traditional Chinese Fonts   |
| Bar code Character       | Character Size<br>Simple,traditional Chinese-16 lines  |
|                          | Extended character set<br>Bar code<br>PC437/Katakana/PC850/PC860/PC863/PC865/WestEurope/Greek/Hebrew/EastEurope/Iran/WPC1252/PC866/PC852/PC858/Iran/Latvian/Arabic/PT151.1251/PC737/WPC1257/Thai/Vietnam/PC864/PC1001/Latvian/(PC1001)/(PT151.1251)/(WPC1257)/(PC864)/(Vietnam)/(Thai) |
| Graphics printing        | Graphics printing<br>Supports bitmap download and print  |
| Paper                    | Type<br>Width<br>Diameter<br>Feed Method<br>Easy feed(Clameshell feed)   |
| Print commands           | ESC/POS  |
| Power                    | Power Adaptor<br>Input:AC 100V-240V,50-60Hz<br>Output:DC 12V/2A  |
| Buffer                   | Casher Drawer output<br>Input Buffer<br>NV Flash<br>4K<br>40K  |
| physical characteristics | Weight<br>750g   |
| Environment              | Dimension<br>160*115*127(MM)   |
| Reliability parameter    | Working<br>Temp:15 ~ 45°C   Humidity:(10 ~ 80%)  |
| Software                 | Storage<br>Temp:-10 ~ 50°C   Humidity:(10 ~ 90%)[No dew]<br>Print Head Life<br>10000[print density≤12.5]<br>Driver<br>Android,IOS, Linux, WinXP, Win7, Win8, Win8.1, Win10   |



0CPP-587





0CPP-587



[www.ocominc.com](http://www.ocominc.com)



Thans & Best Regard  
Harold Hu

\*\*\*\*\*

OCOM Technologies Limited  
Address: 4/F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District,  
Shenzhen 518054, China;  
Website: [www.ocominc.com](http://www.ocominc.com), [www.possolution.com.cn](http://www.possolution.com.cn) ;  
E-mail: [sales14@ocominc.com](mailto:sales14@ocominc.com) ;  
Skype: [sales14@ocominc.com](https://www.skype.com/name/sales14@ocominc.com)  
MSN: [ocomsales14@hotmail.com](mailto:ocomsales14@hotmail.com) ;  
Whatsapp: 0086.18948789890;  
Wechat: 0086.18948789890;  
Mobile: 0086.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814;

Fax: 0086.755.86053207-868;