

Portable Bluetooth Thermal Barcode Label Printer

(Model Number: OCBP- M201)



Features:

- n Support Windows, Java, Android .
- n Bluetooth, USB communication for option.
- n Support Bartender software.
- n Support Tag Interval Detection
- n High print speed 90mm/sec.
- n 100km TPH Life.
- n Low power consumption and large capacity Lithium battery.

Specification:

Overall Dimension (W×D×H)	180*130*110mm (Package size: 585*410*285mm(40pcs))
Corss Weight	506g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, Bluetooth
Data buffer	Up to 5K bytes

Power Adapter	9V DC/1A
Battery Power	1500mAh/7.4V. 30m printing for one charging, longer stand-by time up to 30 days
Other features	Paper detection, tag interval detection, power detection, Manual shut down
Working conditions	Temperature: -10 to 50 degree centigrade, Humidity:10%~90%
Storage conditions	Temperature: -20 to 70 degree centigrade, Humidity:5%~95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

[SDK Files](#)