# OCBS-2008 Handheld Symbol n410 Wired 1D/2Dbarcode Scanner With USB Port

(Model No.: OCBS-2008)



## Feautre:

High performance imaging technology;

Omni-directional scanning, easy to scan;

High compatibility for all major 1D and 2D symbols;

Can read the barcode on the screen and color barcode;

Multi special function setting supported;

Multi interfaces optional;

Stand for option.

## **Specification:**

Performance Characteristics

Function		
Light source	LED	
Веер	Supported	
Stand	Optional	
Indicator	LED, beep	
Scan performance		
Sensor	CMOS	

Maximum decoding speed13rReading anglehorPrecision≥5Decode capability1DCode LITFLTF	0*480,256 gray levels mil UPC 40cm/s rizontally 50 deg; vertically 20 Deg 5mil de 128[]UCC/EAN-128[]AIM 8[]EAN-8[]EAN-13[]ISSN[]ISBN[]UPC-E[]UPC-A[]Interleaved 2 of 5[]	
Reading anglehorPrecision≥5Decode1Dcapability128ITF	rizontally 50 deg; vertically 20 Deg 5mil de 128[]UCC/EAN-128[]AIM	
Precision≥5Decode1DCoolcapability128ITF	omil de 128[]UCC/EAN-128[]AIM	
Decode 1D Coo capability 128	de 128[]UCC/EAN-128[]AIM	
capability 128 ITF		
Ple	-6[]ITF-14[]Matrix 2 of 5(European Matrix 2 of 5)[]Industrial 25[] andard 25[]Code 39[]Codabar[]Code 93[]Code 11[]Plessey[]MSI- essey[]RSS-14[]RSS-Limited[]RSS-Expand	
2D PDI	F417 Data Matrix QR Micro QR	
Coo PDI	N-13 40mm-355mm (13mil) de 39 28mm-155mm (5mil) 0F 417 28mm-95mm (6.67mil) dta Matrix 25mm-95mm (10mil) R 25mm-150mm (15mil)	
Rot	clination $\pm 45^{\circ}$ @0°Roll and 0°Skew tation $\pm 30^{\circ}$ @0°Pitch and 0°Skew eflection $\pm 45^{\circ}$ @0°Roll and 0°Skew	
Electrical		
Interface USI	B or RS232	
Input Voltage 3.3	3.3v~5v DC	
Standard Power 2.0	2.0w (400mA)	
Max Power 2.5	2.5w (450mA)	
DC adapter Ma	Max 5.5V 1A	
LED CLASS Cla	Class I	
EMC Test FCC	FCC part15,IEC60825-1,EN55022 Class B	
User Environment		
Operate Temperature -20	D deg C $\sim$ +60 deg C (-4 Deg F to 144 deg F)	
Storage Temperature -30	0 deg C ~ +70 Deg C (-22 Deg F to 158 deg F)	
Humidity 5%	6 - 95%(non- condensation)	
Drop resistance: 1.5	1.5m (5.0ft) drops to concrete	
IP class IP5	IP54	
Light intensity Wo	orking: sun lights, fluorescent lights	
Physical		
Dimensions 156	156*68*83mm	
Weight 195	5 g (without stand)	
Package dimension 48 <sup>*</sup>	*36*47CM (20pcs with stand 13.5KG)	
48*	*39*52CM (30pcs without stand 15KG)	



# **OCBS-2008**















## FAQ

#### 1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

#### 2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shippment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shippments.

You can buy the samples from us directly using t/t, western uion, or paypal. And you can also buy it on our online store at aliexpress:http://www.aliexpress.com/store/403448?tracelog=minisite\_CI.

#### 3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfication;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

#### 4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

#### 5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

#### 6. Customer

Our main customers from Eruopean, Australia, and the fast growing South America, Africa, Russia...,

We have servered more than 1300 customers from 133 countries, including the global fortune 500 company like Unilever, O2.....50 of them are the biggest distributor in the local teritories.

### Why You Choose Us

#### Why You Choose OCOM?

Leading One-Stop POS and Auto-ID Related Products Supplier Qualified by Global Fortune 500 Companies Tier 1 customers including Unilever, O2, Star... 1500+ Customers Cover 133 Countries; 9 Years OEM/ODM Experience. Top 1 Level Trade Assurance in POS industrial quarantee quality and shipment date Fast respondes and professional service FCC, CE , Soncap, POA, BIS, and other Certificates 12+1 months wanrranty. Shortlisted in "China Best Employer Award" Belief: Integrity Based, Strive for Excellence, Win-win Cooperation