76MM Manual-cutter Dot Matrix Printer (Model: OCPP-762)

Features

76MM impact dot matrix receipt printer;

Support cash drawer kick out;

Compatible with EPSON;

With Black mark detection function;

Multiple interfaces available: Serial /parallel/USB;

Easy operation and elegant appearance;

Specifications:

Printing method	9 pins serial dot matrix		
Print font	FONT A: 33 or 35; FONT B: 40 or 42		
Column capacity	400dots		
Character size	ANK, Font A:9*9dots, Font B:7*9dots Simplified Chinese,		
	traditional Chinese:16*16dots		
Character set	Buyer option		
Character per line	400dots		
Printing speed	4.5lines/sec		
Receive buffer	Selectable as 45 bytes or		
	4k bytes using Dip switches		
Paper width	75.5±0.5mm		
Copy capability	One original and two copies		
Ribbon	ERC-39		
MCBF(life)	10,000,000 lines		
Driver	Win9X/Win ME/Win2000/Win2003/WinNT/Win XP/Win Vista/Win 7/Linux		
CPU	32 bit		
Storage environment	Temperature (-10~60°c) humidity (10~90%)		
Working environment	Temperature (0~50°c) humidity (10~90%)		
Dimension	215X135X105mm		
Gross weight	3. 5KG		
Cutter	Manual-cutter		
Paper end sensor	Yes		
Paper thickness	0.06-0.08mm		
Roll paper	75.5±0.5mm* φ65mm		
Interface	Serial/ USB/ LAN		
Command	Compatible with EPSON		
Cash drawer control	DC 12-24V/1A		
Power supply	DC24V/2.5A		

Notes: It uses a highly reliable Japanese print head(SEIKO F347) with a life span rated at more than 10,000,000 lines.

Product Details:

















Features

Simple but not easy


76MM impact dot matrix receipt printer; Easy operation and elegant appearance;











Compatible with EPSON;

With Black mark detection function;





Multiple interfaces available: Serial /parallel/USB;

All-round show







Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and

point of sales for lottery ticket

Commercial: information management terminals for parking

lot, inn, aviation, subway, station and wharf









Printing method 9 pins serial dot matrix		
Print font FONTA: 33 or 35; FONTB: 40 or 42		
Column capacity	400dots	



Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
1	Thermal Printer	40,000 Sets / Month	250,000 Sets
1	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
V	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets



Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
1	Ageing Tester	No Information	6
V -00	Withstand Voltage Tester	CC2670A	1 40000
1	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
V	Digital Torque Meter	HP100	1
1	Calliper	GUANGLU	2
1	Multi-meter	VC890D	7
1	Test Computer	No Information	13

Certifications



Packing and Shipment





Payment

Delica Co.



















Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





Why you choose us?



Flexible Cooperation

Company Profile

This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust













OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matthe Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,

Shenzhen 518054, China;

Websites: http://www.possolution.com.cn; http://www.ocominc.com;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637,190852203; Tel/Fax: +86.755.8605.3207.



Relevant documents:

*Specification

*IP Address Configure Manual

*Instruction Manual

*Driver for all windows system

*Driver for Linux

*Printer Parameters Setting Tools

*CD Files