# OCPP-80F Hot Selling Cheap 80MM Hight Speed Thermal Receipt Printer(M/N:OCPP-80F)

#### **Features:**

- 1.300mm/s printinghigh-speed, improve the printing efficiency
- 2.2048K super input buffer, to avoid losing bills
- 3. Support 1D, 2D bar code printing
- 4. Support black mark orientation and re-print
- 5. Support printer monitoring function, to avoid losing bills;
- 6. Excellent waterproof, anti oil, anti-dust structure design
- 7.Movable baffle design, support 80MM, 58MM different width of paper roll printing.

#### **Printer Parameters:**

Princing width				
Princip   valid   Princip   Valid   Princip   Valid   Princip   Valid   Vali	Item	Parameters		
Reculation	Printing Method			
	Printing width		I	
Interface   Participal (1996) (1996	Resolution			
1.5   1.5			I	
Inter No.			I	
Character   Standard (SSIS)03 (migrafied) (incidence Forts   Character See	Line Spacing		I	
Description   ARC Character (rest 1, 1-2.1 Imm(2), 2-24 description   ARC Character	Line No.		l	
Fortis 1.12 Jung/19.01   Section   Partis 1.12 Ju			I	
Extended Calabasana@Espirit (Salabasana@Espirit (Salabasana))))	Character Size	ANK character, Font A:1.5×3.0mm[[12x24 dots]]	I	
CODAMACCORE   September   CODAMACCORE   September			I	
Graphic printing         Supports bitmap download and print           Light Function         Helf out           Lype         Hermin           Lype         Hermin           Description         But on the control of the contro	Extended character set	PC437/Katakana/PC350/PC860/PC863/PC863/PC865/WestEurope/Greek-Neterweik/assEurope/Greek-Neterwei		
Type         Thermal           Width         75 56.55 Sm           Width         75 56.55 Sm           Description         60 Feb. Control (Section of Feb.)           Commands         65 Feb. Sm           Four Adoptor         1 mg/Lst (19/229 55-601c           Four Adoptor         1 mg/Lst (19/229 55-601c           Total There regard         1 mg/Lst (19/229 55-601c           Total There regard         1 mg/Lst (19/229 55-601c           Total There regard         2 mg/Lst (19/229 55-601c           Total There regard         2 mg/Lst (19/229 55-601c           Total There regard         2 mg/Lst (19/229 55-601c           Total There regards         2 mg/Lst (19/229 55-601c           Total There is a mg/Lst (19/229 55-601c         2 mg/Lst (19/229 55-601c           Total There is a mg/Lst (19/229 55-601c)         2 mg/Lst (19/229 55-601c)           Total There is a mg/Lst (19/229 55-601c)         3 mg/Lst (19/229 55-601c)           Total There is a mg/Lst (19/229 55-601c)         3 mg/Lst (19/229 55-601c)           Total There is a mg/Lst (19/229 55-601c)         3 mg/Lst (19/229 55-601c) <tr< td=""><td>Graphics printing</td><td>Supports bitmap download and print</td><td></td><td></td></tr<>	Graphics printing	Supports bitmap download and print		
Width         79.545.5mm           Description         580mm           Feel method         Easy feed Clamerbell Reed)           Commended         Service Clamerbell Reed)           Contract         Contract           Description	Cutter Function		I	
Diameter   ## ## ## ## ## ## ## ## ## ## ## ## #	Type	Thermal	I	
Feed method	Width	79.5±0.5mm	I	
Commands   ESCPOS	Diameter		I	
Power Adaptor	Feed method			
Cash Drawer output         C/2 AVVT 3A           Cash Drawer output         C/2 AVVT 3A           Ungot Buffer         23648 bytes           Weight         1.30F           Dimension         189 145 135           Winching         Temps 3–5 Centrograde Humidity 15–80%           Winching         Temps 3–5 Centrograde Humidity 15–80%           Storage         15           Control of 1000,000mmes           3000,000mmes	Commands		I	
Cash Drawer output   0C 2 NV/A	Power Adaptor			
Year   1	l		I	
W Plash 266 typies Weight 1,100 Dimension 186 154 152 152 Dimension 186 154 154 154 154 154 154 154 154 154 154				
1,200	Input Buffer		I	
Temp_3-6 Centigrade   Humidity 1,1 0-20%	Weight		I	
Storage Temp-10 - 50 Certigrade Humidry, 10 - 90% (Modew) Print Head Life 1000 (Uprint density L. 1.2.5) Cutter Life 1000 (00000000000000000000000000000000	Dimension			
Pire Head life 1000(0),000 density (£ 12.5) Cutter Life 1000(0),000 density (£ 12.5)	Working		l	
Cutter Life 1000,000times	Storage		I	
	Print Head Life	100KM(print density LE.12.5)	I	
Driver 4.ndroid.j.OS_Linux,Win2000,Win2003,WinXP,Win7,Win8,Win8.1	Cutter Life		I	
	Driver	Android,IOS,Linux,Win2000,Win2003,WinXP,Win7,Win8,Win8.1		

#### **Products Review:**





## FAQ:

## 1. Warranty

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers'satisfication, our warranty of the products is about 12 months from the shipment normally, some designated models can have as long as 24 months warranty. For mass order, we can supply you some spare parts for local repair. And after that, you can returned failure parts for reworks.

#### 2. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

## 3. Shipment

We accept all kinds of shipping ways including: express, air, sea, car, or pick up by customers personally.

## 4. Sample Availability & Policy

After customers confirmed our specification, we are very glad to provide samples for testing and qualification. All samples should be paid before shippment, and the samples price is a little higher than mass order. When the mass order placed, we can return you the samples cost, or send you more products with the shippments. You can buy the samples from us directly using t/t, western uion, or paypal. And you online can also buy it o n our store a t aliexpress: http://www.aliexpress.com/store/403448?tracelog=minisite\_CI The sample order is needed before we release to our factorie

#### 5. After-sales Service:

\* We have the top 1% level trade assurance upto USD12000 guarranteed by alibaba, which can proect your money well to ensure the lead time and products quality. (1) All products warranty is not less than one year, some models even up to two years warranty. (2) Spare parts will be provided for mass orders for customers' local maintenance. (3) Have distributors or authorized agents in main market who can provide local repair and replacement services. (4) Professional CRM management insures fast customer's enquiries and orders tracking. (5) Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility. (6) 7\*24 hours online, working days respond within four hours, rest days within 12 hours.

#### 6. Download

You can access http://www.possolution.com.cn/cn/download.html download drivers, SDK software, product specifications and user manuals.

#### 7. Video Guide

To help customers use our products better, we have recorded and upload some video guidance, you can find them at http://www.possolution.com.cn/video.html.

#### 8. MOQ policy

No MOQ limitation for the standard products, but the unit price is different. For customized production, you can discuss the MOQ with our sales rep.

## 9. Request a quote

Request a quote at http://www.possolution.com.cn/inquiry.html

#### **Company:**

OCOM Technologies Ltd. is the main supplier and manufacturer of POS and Auto-ID related products with TUV verified. OCOM is serving the fortune 500 company, and have the top 1% level trade asssurance guarrantee by alibaba.

OCOM's products portfolio covers Thermal Printer, Barcode Printer, Dot Matrix Printer, Barcode Scanner, POS Terminal, Magnetic Card Reader, Date terminal, and other POS Peripherals products(Cash Drawer,Customer Display,POS Monitor, POS keyboard,Money counter,Electronical Scale,Thermal Paper), which are widely used for retailing, restaurant, bank, lottery, transportation, logistic, and other applications. We have CE, FCC and other required certifications.

OCOM's mission is to be the compelling choice for our partners, and our three basic belief are "Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.