# OCPP-80F-U cheap 3 inch auto cut POS thermal printer machine with USB port(M/N:OCPP-80F)

### **Features:**

- 1.300mm/s printinghigh-speed, improve the printing efficiency
- 2.2048K super input buffer, to avoid losing bills
- 3. Support 1D,2D bar code printing
- 4. Support black mark orientation and re-print
- 5. Support printer monitoring function, to avoid losing bills;
- 6. Excellent waterproof, anti oil, anti-dust structure design
- 7.Movable baffle design, support 80MM, 58MM different width of paper roll printing.

#### **Printer Parameters:**

Printing width   Thermal Line				
Printing paid   Printing pai	Item	Parameters	I	
Resolution			1	
Post   1960			Ī	
Interface	Resolution		Ī	
List Spacing   3.75 mm/Clar digitat liter spacing by command    List February   1.05 mm/Clar digitation   1.05 mm/Clar d	Print speed	300mm/Second	Ī	
	Interface	Internet()100M()+USB+COM,USB+COM	Ī	
Canadre	Line Spacing	3.75mm()Can adjust line spacing by command()	Ī	
Classifier   ANY Contest   Fort   A.S.   S.   Description   A.S.   S.   Description   Contest   Fort   A.S.   S.   Description   Contest   Fort   A.S.   S.   Description   Contest   Co	Line No.	FontA-48Lines/Font8-64Lines/Simple,traditional Chinese-24 lines	Ī	
Total 1.12   Imm(Part 1 descriptional Training Control 1 of 1	Character	standard GB18030 simplified / traditional Chinese Fonts	Ī	
Extended character set			Ī	
CODAMAPCODERS			Ī	
Capiting   Supports birring developed and print	Extended character set	RC437/Katakana/RC350/RC3650/RC3653/RC3655/WestEuropen/Greek/Hebrew/EartEuropen/ann/WPC1252/RC366/PC352/RC353/Ranil/Labvian/Arabic/PT151,1251/RC737/WPC1257/That/Vetnam/RC364/PC1001/(Inbvian)/(PC1001)/(PT151,1251)/(WPC1257)/(PC364)/(Vetnam)/(Thai)	Bar code	
Cutter Function         Nat Cod           Type         Thermal           Width         79 3.40 Jimms           Width         79 3.50 Jimms           Width         29 3.50 Jimms           Face method         Sep Feed Calamental Feed           Commands         SECPPS           OpenA CE 1987/2078/0-9 Gebte         Percentage           Cash Drawer endoput         X XVVII.A           WF Fash         X XVVII.A           WF Fash         2566 Fyes           Weight         1.306           Dimension         180744/115           Working         Yes           Veries and Life         1000 Specified Section (Mg 1, 12, 12)           Viries the Life         1000 Specified General (LL 12)           Other Life         1000 Specified General (LL 12)           Object to Life         1000 Specified General (LL 12)           Open Cutter Life         1000 Specified General (LL 12)				2D barcode()QRCODE
Type			ļ	
Width			ļ	
Dameter   400m			ļ	
Feed method				
Commands			]	
Power Adjator         Imput AL (100/220V.30-46) (see 2007.35 cm)           Cash Drawer output         DC 24VIA           Imput Buffer         304K Syles           INV Fash         256K types           INV Fash         256K types           Unmention         305K types           Unmention         400 types           Strain Syles         400 types           Free To Syles         400 types types           Free To Syles         400 types			]	
Output C 249(2) 54   Can Drawer output C 249(2) 54   Input Buffer C 249(2) 54   Drawer output C 249(2) 54   Draw			]	
Cab Drawe output         02 AVVIA           Impost Buffer         2 AVVIA           HV Plash         356 by Mee           MV Plash         356 by Mee           Ownerboard         1 REGE STATE OF THE PLANT OF TH	Power Adaptor			
Inset Mulfer   2048 Kytes     WFath   2564 Kytes     Weight   1.206     Dimension   1871457135     Working   Temp-5-4 Centigrade Humidity 10-80%     Working   Temp-5-4 Centigrade Humidity 10-80%     Working   Temp-5-4 Centigrade Humidity 10-80%     Working   Temp-5-8 Centigrade Humidity 10-80%			]	
NV Flash			]	
Weight         1.26           Dimension         1.80 (45*113)           Working         Temp-5-16 Centigrade Aumidity 10-80%           Storage         Temp-10-10 Centigrade Aumidity 10-90% (Modew)           Pint Head Life         1.000 (Agring demands v. E.1.25)           Cutter Life         1.000,000 (mes)			]	
Demension   1801/19115			l	
Working         Temp. 3-1 & Centigrade hamilety (Ja-040)h           Strange         Temp. 3-1 & Centigrade hamilety (Ja-040)h           Finit Head Life         1000 (Agrint dentally LE 12.5)           Cutter Life         1000,000(mex.)	Weight		1	
			1	
Print Head Life	Working		1	
Cutter Life 1000,000times			]	
			]	
Driver Android, IOS, Linux, Win 2000, Win XP, Win 7, Win 8, Win 8.1			l	
	Driver	Android,IOS,Linux,Win2000,Win2003,WinXP,Win7,Win8,Win8.1	1	

## **Products Review:**





## FAQ:

## 1. Warranty

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers'satisfication, our warranty of the products is about 12 months from the shipment normally, some designated models can have as long as 24 months warranty. For mass order, we can supply you some spare parts for local repair. And after that, you can returned failure parts for reworks.

# 2. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

# 3. Shipment

We accept all kinds of shipping ways including: express, air, sea, car, or pick up by customers personally.

## 4. Sample Availability & Policy

After customers confirmed our specification, we are very glad to provide samples for testing and qualification. All samples should be paid before shippment, and the samples price is a little higher than mass order. When the mass order placed, we can return you the samples cost, or send you more products with the shippments. You can buy the samples from us directly using t/t, western uion, or paypal. And you online can also buy it o n our store a t aliexpress: http://www.aliexpress.com/store/403448?tracelog=minisite\_CI The sample order is needed before we release to our factorie

#### 5. After-sales Service:

\* We have the top 1% level trade assurance upto USD12000 guarranteed by alibaba, which can proect your money well to ensure the lead time and products quality. (1) All products warranty is not less than one year, some models even up to two years warranty. (2) Spare parts will be provided for mass orders for customers' local maintenance. (3) Have distributors or authorized agents in main market who can provide local repair and replacement services. (4) Professional CRM management insures fast customer's enquiries and orders tracking. (5) Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility. (6) 7\*24 hours online, working days respond within four hours, rest days within 12 hours.

#### 6. Download

You can access http://www.possolution.com.cn/cn/download.html download drivers, SDK software, product specifications and user manuals.

#### 7. Video Guide

To help customers use our products better, we have recorded and upload some video guidance, you can find them at http://www.possolution.com.cn/video.html.

#### 8. MOQ policy

No MOQ limitation for the standard products, but the unit price is different. For customized production, you can discuss the MOQ with our sales rep.

## 9. Request a quote

Request a quote at http://www.possolution.com.cn/inquiry.html

#### **Company:**

OCOM Technologies Ltd. is the main supplier and manufacturer of POS and Auto-ID related products with TUV verified. OCOM is serving the fortune 500 company, and have the top 1% level trade asssurance guarrantee by alibaba.

OCOM's products portfolio covers Thermal Printer, Barcode Printer, Dot Matrix Printer, Barcode Scanner, POS Terminal, Magnetic Card Reader, Date terminal, and other POS Peripherals products(Cash Drawer,Customer Display,POS Monitor, POS keyboard,Money counter,Electronical Scale,Thermal Paper), which are widely used for retailing, restaurant, bank, lottery, transportation, logistic, and other applications. We have CE, FCC and other required certifications.

OCOM's mission is to be the compelling choice for our partners, and our three basic belief are "Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.

# **Contacts:**

Contact: Harold Hu

OCOM Technologies Limited

Address: 4/F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054,

China;

Website: www.ocominc.com, www.possolution.com.cn;

E-mail: sales14@ocominc.com; Skype:sales14@ocominc.com MSN: ocomsales14@hotmail.com; Whatsapp: 86.18948789890;

Wechat: 18948789890(ocomsales14);

Mobile: 86.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814; Fax: 0086.755.86053207-868;