

OCPP-M12 OCOM 58mm portable android mobile thermal bluetooth printer mini

(Model Number: OCPP- M12)

Features:

Mini size suitable for portable application;

Windows, Java, Linux, Android, IOS operation system supported;

SDK for Android, IOS;

57*40 paper warehouse;

One printer can connected with up to 8 smart devices (7 Android, one Apple device) visa bluetooth;

7.4V, 1500mA Battery;

Higher print speed 90mm/sec;

50km thermal printer head life;

Multiple languages supported;

ESC/POS command set compatible.

Specification:

| | |
|-----------------------|-------------------------------------|
| Print method | Thermal line printing |
| Print commands | ESC/POS compatible command set |
| Effective print width | 48mm |
| Print speed | Up to 90mm/sec |
| Resolution | 8 dots/mm(203dpi) |
| Print font | 12x24/ 24x24 |
| Column capacity | 32 columns/ 16columns |
| Character size | 1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH) |
| Paper dimensions | 58.0±0.1mm x diameter 40.0mm |
| Paper thickness | 0.06 to 0.08mm |
| Character set | Alphanumeric/ Chinese Kanji |
| Interface | USB and Bluetooth |

| | |
|--------------------|---|
| Flash | 256KB |
| Power Adapter | 9V DC/2A |
| Battery Power | 7.4V DC |
| Working conditions | Temperature:-10~50 degC, Humidity:10%~90% |
| Storage conditions | Temperature:-20~70 degC, Humidity:5%~95% |
| Device name | Can be customized, letter and digital for option, at max 30 ASCII characters. |
| Password | Enter default pairing code "1234", it can be customized |





OCPP-M12





OCPP-M12





OCPM-M12



Relevant documents:

[OCPM-M12 Spec](#)