

TM1502 12V Capacitive/Resistive VGA LCD Screen Monitor

(Model No: TM1502)

SPECIFICATION:

| | |
|------------------------|----------------------------------|
| LCD Screen Size | 15" |
| Aspect Ratio | 4:3 |
| Resolution | 1024×768 |
| Pixel Pitch(mm) | 0.297 |
| Active Area(mm) | 304.1×228.1 |
| Number of colors | 16.2M |
| Contrast Ratio | 700/1 |
| Brightness | 250cd/m ² |
| Viewing Angle | 150/135 |
| Response Time | 8ms |
| Touch Panel Size | 15" 4-wire |
| Outside Dimension | 247mm×322mm |
| Viewing area | 235mm×310mm |
| Active area | 228mm×304mm |
| Surface Hardness | 3H |
| Optical Clarity | 80% |
| Operating Temperature | -10C ~60C |
| Endurance Test strikes | Over 10millions |
| Operating Voltage | DC5V |
| Resistance | 200Ω~900Ω |
| Linearity | 1.50% |
| Faceplate Surface | Anti-glare coating□glare coating |
| Film Thickness | 0.175mm, 0.188mm |
| Glass Thickness | 0.7mm, 1.1mm,1.8mm |
| Operation Pressure | 20~150g |
| Storage Temperature | -30℃ ~80 °C |
| Operating Current | 5mA~25mA |
| Humidity | <95% |
| Isolation Resistance | 20MΩ □ DC25V |
| Sealable against | Dust ,water, oil , static |

Product Details:

