$2016 \ \square\square\square\square\square \ \square\square\square\square\square \ \square\square\square\square\square \ ANDRIOD \ \square\square\square\square\square\square \ \square\square\square\square\square\square$ 

(\_\_\_\_ **OCBS-T008)** 

## 000000:

	KBW∏ RS232∏ USB
	140 :□□□□□ □□□MM * 83mm * 75 □□
	282)
	5.0 VDC +/- 10[
	275mA
	2W
	CDRH 0000000 000000. IEC 60825-1: 000000 000000
	0 ° C - 40 ° C
<u>0000000 00000 0000</u>	-40 70 70
0000	<u>00000 0000) 095 000 05 0000000 0000000)</u>
	8000 :Ft 86111))
00000 0000 0000	
	0 ~ 360 0000000 00000) 0000)
	+/- 50 [[[[]]]
	25 00000 00000 00000 00000
	0 ~ 216mm @ 13mil (100 UPC / EAN)
000000 0000000 0000	5 64 ~ 10 (□38) :□□mm □ 152 ~ 0 (□60) :□□ 7.8mm
	10.4mil: (80□) 0 ~ 190MM
	13mil: (100□) 0 ~ 216mm
	5mil
	UPC / EAN / חחחחח UCC / EAN 128 CODE 128 39 חחחח ח39 חחחח
	Trioptic 093 0000 05 00 2 000000 05 00 2 0000000 05 00 2 0000

x x x x x x