

طابعة حرارية BluetoothLabel بوصة 3

(M / N: OCBP -M80)

خاصية:

- 1.Canprint التسمية ملصقا و استلام ورقة
2. easy language لضبط كثافة الطباعة و
3. دعم حجم الورق المختلفة interaceand متعددة
- 4.LCDisplay يمكن أن تظهر إعدادات المعلمة الطباعة
- 5.الباركود وأشكال canquickly طباعة
- 6.MultipleSensor الدعم إد علامة سوداء، التسمية الفاصل وكشف نهاية الورق

طريقة الطباعة	الخط الحراري
سرعة الطباعة	(مم / ثانية (ورق حراري 80
	(مم / ثانية (ملصق ملصق 70
القرار	نقاط / مم 8
	نقطة / خط 576
عرض الطباعة الفعال	72mm 48 و / MM / 37.5mm
مجموعة الأحرف	ASCII ، GB18030 (الصينية) ، BIG5 ،
طباعة الخط	؛ الخط ب: 8 * 16 24 * 12 A: الخط
شخصية محددة ذاتيا	نعم فعلا
نوع الورق	الورق الحراري / ورقة التسمية
عرض الورق	80mm / 58mm / 44mm للورق الحراري
ورقة لفة القطر	40MM (الحد الأقصى)
لفة الأساسية القطر الداخلي	13mm (ودقيقة).
سماعة الورق	0.06 ~ 0.16mm
طريقة إمداد الورق	تحميل سهل من الورق
TPH	50 الكم
الباركود	1D: EAN-13 ، EAN-8 ، UPC-A ، UPC-E ، CODE39 ، CODE93 ، CODE128 ، CODABAR ، Interface
	2D: PDF417، رمز الاستجابة السريعة، مصفوفة البيانات،
أمر	CPCL / ESC- POS
سائق	Windows 98 / ME / 2000 / NT / XP / 2003 Server / Vista / Win7 / Win 8
المستشعر	مستشعر نهاية الورق ، علامة سوداء ، فاصل التسمية
جهة تعامل	بلوتوث / USB
زر	السلطة ، تغذية ، الوضع
مؤشر	السلطة ، تغذية ، الوضع
ذاكرة	فلاش: 512 كيلو بايت ؛ ذاكرة الوصول العشوائي: 128 كيلو بايت
تلقي حجم المخزن المؤقت	32K
SDK	ويندوز م. ويندوز موبايل 5.0 / 6.0 ؛ سيمبيان. بلاك بيري وأندرويد
متعدد اللغات	46 codepages
(امدادات الطاقة (محول	DC8.4V / 1A

بطارية ليثيوم أيون قابلة للشحن	7.4V ، 1.65A ، 1400mAh
شحن البطارية	متر الطباعة المستمرة 100
وقت الشحن	أقل من 3 ساعات
مدة البطارية	ساعة 360
الوزن الصافي	196g
الوزن الإجمالي	((بما في ذلك البطارية والورق لفة الورق جم 360
أبعاد الطباعة (WxLxH)	مم 10 × مم 48 × مم 104
اللون	أسود
درجة الحرارة التشغيل	-10-50 ° C
رطوبة العملية	10% -80%
الوضعية	المطاعم ، المتاجر ، المطبخ ، راحة المتجر ، متاجر التجزئة المتخصصة ، سوبر ماركت
مستلزمات	شاحن ، برنامج تشغيل القرص المضغوط ، حقيبة USB البطارية ، كبل
	جلدية ورقة لفة الخيار: شاحن السيارة
حجم العبوة	(مم 155 × مم 90 × مم 1.5) كجم 210



**3 Inches Bluetooth
Thermal Label Printer
OCBP-M80**



Product Picture




User's Manual --English Version

All rights reserved. Without the prior written permission of Beijing Spirit Technology Development Co., Ltd., no part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise. While every precaution for errors or omissions has been taken in this manual, Beijing Spirit Technology Development Co., Ltd.

4





Features:

Support label sticker
and receipt paper printing



LCD display can show the
printer parameter settings



Easy to set the print language and density



Multiple Sensor Supported Black mark, Label interval and Paper end detection

Application Area



Traffic police enforcement



Logistics transportation



Drug regulatory



Warehouse




Supermarket



File management



Library



Hospital

Parameter

Printing Method	Thermal Line
Printing Speed	80mm/s (Thermal Paper) 70mm/s (Label Sticker)
Resolution	8 dots/mm 576 dots/line
Effective Printing Width	72mm/48mm/37.5mm
Character Set	ASCII, GB18030 (Chinese), BIG5, Codepage
Print Font	Font A: 12*24; Font B: 8*16
Self-defined Character	Yes
Paper Type	Thermal paper/Label Sticker
Paper Width	80mm/58mm/44mm for thermal paper
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.16mm
Paper Supply Method	Drop-in easy paper loading

TPH	50km
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
	2D: PDF417, QRCODE, DATA Matrix
Emulation	CPCL/ESC-POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7/Win 8
Sensor	Paper End Sensor,Black Mark, Label Interval
Interface	USB/Bluetooth
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.65A rechargeable Li-ion battery
Battery Charge	100m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Net Weight	196g
Gross Weight	360g (Including battery & roll paper)
Printer Dimension(WxLxH)	104mm x109mm x 48mm
Color	Black
Operating Temp	-10-50Celsius
Operating Humidity	10%-80%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll
	Option: vehicle charger
PackageSize	210mm x 155mm x 90mm(1.5kg)

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and



other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:




✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:




Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Payment:



secure payment



Alibaba.com

Buyer's Protection

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .

الوثائق ذات الصلة:

المواصفات M80 - OCBP