

## والبسيطة تذكرة طابعة حرارية 58mm (نموذج: OCPP-582)

### مواصفة:

طريقة الطباعة	الحرارية مباشرة
الخط طباعة	FONT A: 33؛ 35 أو FONT B: 40 42 أو
حجم الحرف	الخط A: 12 × 24 الخط B: 9 × 1724؛ الصيني: X 24
الباركود	JAN13(EAN13)JAN8(EAN8)CODE39
أمر طباعة	متوافق مع EPSON ESC / POS
لغة	دعم اللغة المشتري
حرف في كل سطر	384dots / 203) خط (DPI)
سرعة الطباعة	ثانية / mm ضربات 90
عرض الورق	57.5 ± 0.5MM
سمك الورق	0.06-0.08mm
MCBF (الحياة)	50KM
بعد	235X145X125mm
الوزن الإجمالي	2.6KG
قطع السيارات	القاطع اليدوي
الاستشعار	ورقة قرب نهاية الاستشعار، ورقة نهاية الاستشعار، أجهزة الاستشعار غطاء مفتوح
ورقة لفة	∅65mm
السطح البيني	بالنوازي مع ذلك، USB، LAN
سائق	فوز / فوز فيستا / ويندوز 7 / لينكس NT / XP فوز / فوز 2000 / وين 2003 / فوز ME / X فوز 9
مزود الطاقة	DC12V / 3A

### تفاصيل المنتج:



**58mm Thermal  
Receipt Printer**

**OCPP-582**



**Product Picture**





## Features

### *Simple but not easy*

High speed, long lifetime, high quality,  
low repair rate, applicable for various  
software





Modern design, easy to use



Support Logo download printing



GB2312 Chinese Character Library  
Support Simplified Chinese/traditional  
Chinese and various international  
languages



100MB Ethernet interface, quicker link and print, avoid losing the order



### All-round show





## Application Area

Food delivery, restaurant, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Price Tag, Retail/Farm





## Parameter


<b>Printing method</b>	Direct thermal
<b>Print font</b>	FONT A: 33 or 35; FONT B: 40 or 42
<b>Character size</b>	Font A : 12 × 24; Font B : 9 × 17; Chinese: 24 X 24
<b>Barcode</b>	JAN13 (EAN13) JAN8 (EAN8) CODE39
<b>Printing command</b>	compatible with EPSON ESC/POS
<b>Language</b>	Buyer language support
<b>Character per line</b>	384dots/line (203DPI)
<b>Printing speed</b>	90mm/sec
<b>Paper width</b>	57.5±0.5mm
<b>Paper thickness</b>	0.06-0.08mm
<b>MCBF(life)</b>	50km
<b>Dimension</b>	235X145X125mm
<b>Gross weight</b>	2.6KG
<b>Auto cutter</b>	manual cutter
<b>Sensor</b>	Paper Near End Sensor, Paper End Sensor, Cover open
<b>Roll paper</b>	φ65mm
<b>Interface</b>	Parallel, USB, LAN
<b>Driver</b>	Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/Win 7/Linux

## Paper Roll Installation




- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Connection







- a. Plug the DC cord connector into the printer's power connector..
- b. Plug the data cable connector into the printer's interface connector.
- C. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.





We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.



## الوثائق ذات الصلة:

[مواصفة\\*](#)

[دليل العناوين تكوين IP\\*](#)

[كتب التعليمات\\*](#)

[سائق لجميع نظام ويندوز\\*](#)

[برنامج تشغيل لينكس\\*](#)

[معلومات الطابعة أدوات إعداد\\*](#)

[القرص المضغوط ملفات\\*](#)