58mm □□□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□ □□□□□□ □□□□□□□□ □□□□□□□□

(نموذج: OCPP-M03)

المواصفات:

imensions (W × D × H)	105 × 75 × 45MM
الوزن	134 غرام
اللون	أسود
عرض الطباعة فعالة	48 ملم
طريقة الطباعة	الحرارية خط الطباعة
أمر الطباعة	متوافق مجموعة التعليمات ESC / POS
سرعة الطباعة	90 لضرباتmm / ثانية
قرار	8 203) مم / نقطةDPI)
طباعة الخط	12 فيX24 / 24x24 في
قدرة العمود	32 / 16columns
حجم الحرف	1.5 × 3.0 3.0 / (العرض × الارتفاع) ممx3.0mm (العرض × الارتفاع)
ورقة الحجم	0.1 ± إلى 58.0 ملم قطرMM x40.0
ورقة سماكة	0،06-0،08 مم
مجموعة الأحرف	أبجدية نص / الصيني
السطح البيني	USB، RS-232، اختياري) وتقنية بلوتوث)
فلاش	256KB
محول كهرباء	9V DC / 2A
طاقة البطارية	بطارية يمكن البقاء في 4-5 أيام، عندما يكون كاملا من قوة، ويمكن .Vمللي أمبير 7.4 1500 / DCو طباعة ورقة 120-150M
ميزات أخرى	كشف ورقة، والكشف عن السلطة، وإيقاف يدويا
ظروف العمل	10- :درجة الحرارةCelsius ~ 50CelsiusHumidity: 10٪ ~ 90٪
شروط التخزين	20- :درجة الحرارةCelsius ~ 70CelsiusHumidity: 5٪ ~ 95٪
اسم الجهاز	يمكن تخصيصها لاختيار حروف وأرقام تصل إلى 30 حرفا ASCII.
كلمة السر	الإدخال الافتراضية رمز الاقتران "1234" ويمكن أن تكون مخصصة. أقصى 6 الثلاثمائة.
حجم قابس الطاقة	3.5 * 1.1 ملم

	P / N	وصف
طلب المعلومات	OCPP-M03-BB	أندرويد SUPPROT، والبطارية Bluethooth مع
	OCPP-M03-BB-AI	الروبوت ودائرة الرقابة الداخلية SUPPROT، والبطارية Bluethooth مع
	OCPP-M03-UB	الاتصالات Barrery USB، مع
	OCPP-M03-U	وبطارية BT، الاتصالات، من دون USB
	OCPP-M03-B	والاتصالات، من دون البطارية Blutooth
	OCPP-M03-UC	مع شاحن سيارة USB، الاتصالات
	OCPP-M03-BC	بلوتوث التواصل مع شاحن سيارة
	OCPP-M03-C	غيرها حسب الطلب

Features

Simple but not easy

Battery charge indicator, easy to know rest power.

Higher print speed 90mm/sec

Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication

Higher print speed 90mm/sec.
100km TPH Life

Low power consumption and large capacity Lithium battery.

All-round show

Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery

Restaurant

Bus / Taxi Receipt

Traffic Citation

Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232，Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation

A Open the printer cover.

B Install the roller in the roll paper, and put them into the printer.

C Pull out some paper outside the printer and then close the printer cover.

D Close the top cover. Press the printer cover to avoid error position of roll paper.

E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.

الوثائق ذات الصلة:

*مواصفة

*دليل البرنامج

*كتيب التعليمات

*برنامج تشغيل ويندوز إكس بي نظامي التشغيل Win2000 WinVista Win8-32bit

*برنامج تشغيل Win8-64bit

*برنامج تشغيل لينكس

*معلمات الطابعة أدوات إعداد

*USB Printdemo((التطبيق التجريبي البرمجيات

*بلوتوث Printdemo(التطبيق التجريبي البرمجيات)

*SDK لالروبوت

*القرص المضغوط ملفات

فيديو ذات الصلة:

كيف يعمل ocpp-M05-BB عن طريق البلوتوث وكابل USB

العمل مع الروبوت ودائرة الرقابة الداخلية نظام OCPP-M05-BB-I

عن طريق كابل الناقل التسلسلي العام ANDRIOD مع قرص OCPP-M05 فيديو للعمل

التعليمات: