

## (نموذج: OCPP-M03)

## المواصفات:

الابعاد (W x D x H)	105 x 75 x 45MM
الوزن	134 غرام
اللون	أسود
عرض الطباعة فعالة	48 ملم
طريقة الطباعة	الحرارية خط الطباعة
أمر الطباعة	متوافق مجموعة التعليمات ESC / POS
سرعة الطباعة	90 ثانية / ملم لضربات
قرار	8203 (DPI نقطة / مم)
طباعة الخط	في 24x24 / 24x12
قدرة العمود	32 / 16 columns
حجم الحرف	3.0x3.0 (العرض × الارتفاع) مم / 3.0x1.5
ورقة الحجم	40.0x40.0 MM قطر 58.0 ملم إلى ± 0.1
ورقة سماكة	0.06-0.08 مم
مجموعة الأحرف	أبجدية نص / الصيني
السطح البيني	(وتقنية بلوتوث اختياري، RS-232، USB)
فلاش	256KB
محول كهرباء	9V DC / 2A
طاقة البطارية	بطارية يمكن البقاء في 4-5 أيام، عندما يكون كاملا من قوة، ويمكن 7.4 أمبير / 1500 DC و Mطباعة ورقة 120-150
مميزات أخرى	كشف ورقة، والكشف عن السلطة، وإيقاف يدويا
ظروف العمل	Celsius Humidity: 10% ~ 90% درجة الحرارة: 0-10
شروط التخزين	Celsius Humidity: 5% ~ 95% درجة الحرارة: 0-20
اسم الجهاز	ASCII. يمكن تخصيصها لاختيار حروف وأرقام تصل إلى 30 حرفا.
كلمة السر	الإدخال الافتراضية رمز الاقتران "1234" ويمكن أن تكون مخصصة. أقصى 6 الثلاثمائة
حجم قابس الطاقة	3.5 * 1.1 ملم

طلب المعلومات	P / N	وصف
	OCP-P-M03-BB	أندرويد SUPPROT ، والبطارية Bluetooth مع
	OCP-P-M03-BB-AI	الروبوت ودائرة الرقابة الداخلية SUPPROT ، والبطارية Bluetooth مع
	OCP-P-M03-UB	الاتصالات Barrery USB مع
	OCP-P-M03-U	وبطارية ، Bluetooth الاتصالات ، من دون USB
	OCP-P-M03-B	الاتصالات ، من دون البطارية Bluetooth
	OCP-P-M03-UC	مع شاحن سيارة ، USB الاتصالات
	OCP-P-M03-BC	بلوتوث التواصل مع شاحن سيارة
	OCP-P-M03-C	غيرها حسب الطلب



## Features

### **Simple but not easy**

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;  
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.  
100km TPH Life



Low power consumption and large capacity Lithium battery.



## All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



## Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C



## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),  
Together we quest for the best.



### الوثائق ذات الصلة:

[مواصفة\\*](#)

[دليل البرنامج\\*](#)

[كتيب التعليمات\\*](#)

[برنامج تشغيل ويندوز إكس بي نظامي التشغيل\\*](#)

[Win2000 WinVista Win8-32bit](#)

\* [Win8-64bit برنامج تشغيل](#)

\* [برنامج تشغيل لينكس](#)

\* [معلومات الطابعة أدوات إعداد](#)

\* [USB Printdemo \(التطبيق التحريسي البرمجيات\)](#)

\* [Printdemo \(التطبيق التحريسي البرمجيات\)](#) \* [يلوتوث](#)

\* [لاليوتوث SDK](#)

\* [القرص المضغوط ملفات](#)

### **فيديو ذات الصلة:**

[USB عن طريق البلوتوث وكابل ocpp-M05-BB كيف يعمل](#)  
[العمل مع الروبوت ودائرة الرقابة الداخلية نظام OCPP-M05-BB-](#)  
[عن طريق كابل الناقل التسلسلي العام ANDRIOD مع قرص OCPP-M05 فيديو للعمل](#)

### **التعليمات:**