# الميناء OCPP-58C-R) RS232) الحرارية استلام الطابعة قطع السيارات OCPP-58C-R) (قم الموديل)

#### :ميزات.1

تصميم العتاد الكبير، سوبر مقاومة للاهتراء تصميم العتاد الكبير، سوبر مقاومة للاهتراء تصميم مظهر عصري تصميم مظهر عصري سرعة طباعة عالية تصل إلى 120 ملم / ثانية للنص أو الصورة أمر EPSON ESC / POS تماما جمتوافق مع حياة الرأس: 50 كم rinting من ، 00 اقطع علية ، ص العطع uto

معار تحميل الطباعة NV دعم لا عددة تعددة شريط شريطي لغات متعددة شريط شريطي عنددة شريط شريطي دعم أنواع متعددة شريط شريطي دعم درج النقد طرد 9 كي NT / Win XP / Win XP / Win8

#### اتخصيص،2

طريقة الطباعة	حراري مباشر
كثافة الطباعة	خط / 384dots
حجم الحرف	x24dots الخط أ: ANK، 12
	x17dots الخط ب: 9
	x24dotsالصينية المبسطة / التقليدية: 24
الباركود	UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODABAR / JI ITF / CODE39 /
	CODE93 / CODE128
جهة تعامل	Parall البريدل/مسلسل / USB/ LAN
قوة يتبرع	الخامس==12l2.6 DC 12l2.6
درج النقود	DC 121==الخامس==121
رأس الطباعة عمر	كم 50
ظروف التشغيل	(٪ درجة الحرارة (0 ~ 45 درجة مئوية) ، الرطوبة (10 ~ 80
تخزين الظروف	(٪ درجة الحرارة (-10 ~ 60 درجة مئوية) ، الرطوبة (10 ~ 90
سرعة الطباعة	ثانية / 120MM
عرض الورق	و 57.5±0.5mm
ورقة القطر الخارجي	و 65mm و
سمك الورق	و 0.06 ~ 0.08mm و
وزن	ووزن: 1.5 كجم ، الوزن الإجمالي: 2.5 كجم N
البعد	199 * 132 * 111.5mm
سائق	/ WinNT ل /Win2000/ WIN2003 نظامي التشغيل / ME وين / Win9x الأنظمة الأساسية
	يفوز8 /WIN7/يفوز مشهد من خلال/XP وين
قاطعة	uto اقطع
أمر	EPSON ESC / POS متوافق مع
تباعد الأسطر	(يمكن التغيير من خلال الأمر) 3.75mm







# **Features**

# Simple but not easy

Fashionable appearance design














# **Application Area**

Food delivery, restaurant, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore,









Print method	Direct thermal	
Print density	384dots/line	
Characte r size	ANK, Font A: 12x24dots Font B: 9x17dots Simplified/traditional Chinese: 24x24dots	
Bar code	UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/COD E93/CODE128	
Interface	Parallel/Serial/USB/LAN	
Power supply	DC 12V==2.6A	
Cash drawer	DC 12V==1A	
Printing head lifetime	50 kilometers	
Operatin g Condition s	Temperature (0~45 Deg C), humidity (10~80%)	
Storage Condition	Temperature (-10~60 Deg C), humidity (10~90%)	
Print speed	120 mm/s	
Paper width	57.5±0.5mm	
Paper		

external diameter	65mm	
Paper thickness	0.05~0.08mm	
Weight	Net weight: 1.5KG, Gross weight: 2.5kg	
Dimensio n	199*132*111.5mm	
Driver	Win9X/Win ME/Win2000/Win2003/WinNT/Win XP/Win Vista/Win7/ Win8	
Cutter	Auto cutter	
Comman	Compatible with EPSON ESC/POS	
Line Spacing	3.75mm(Can change through command)	


## **Paper Roll Installation**




A Open the printer cover.

- B (Install the roller in the roll paper, and put them into the printer.
- Pull out some paper outside the printer and then close the printer cover.
- Close the top cover. Press the printer cover to avoid error position of roll paper.

### Connection





- a. Plug the DC cord connector into the printer's power connector..
- b. Plug the data cable connector into the printer's interface connector.
- C. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

#### Shipping and payment

- 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
- 2. EXPRESS: around 3-7 working days to arrive
- 3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 4. By sea: depend on which destination port
- 5. T/T
- 6. Western Union
- 7. Escrow

### **Company Profile**



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we guest for the best.















000 000 00 000000 :0000000 0COM 0000000 0000000

.  $\square\square\square\square\square$   $\square$  518054

Wechat: 18948789890 (ocomsales14)□

□ 1467261417 :□ □

Tel: 0086.755.86053207-814 0086.755.86053207:000 0086.755.86053207:000