
(OCPP-M03 :نموذج

:المواصفات

(W × D × H) البعد الكلي	105 × 75 × 45MM	
الوزن	134g	
اللون	أسود	
عرض الطباعة فعالة	48MM	
طريقة الطباعة	الطباعة خط الحرارية	
أوامر الطباعة	مجموعة الأوامر متوافق ESC / POS	
سرعة الطباعة	ثانية / mmحتى ضربات 90	
قرار	(dpiنقطة / مم (203	
الخط طباعة	12x24 / 24x24	
قدرة العمود	lcolumns/لأعمدة / 32	
حجم الحرف	1.5 × 3.0 × H) / 3.0x3.0mm (WXH)	
أبعاد الورق	mmقطر 40.0 ± 58.0	
سمك الورق	و mmإلى 0.08 0.06	
مجموعة الأحرف	أبجدية / الصينية كانجي	
السطح البيني	(وتقنية بلوتوث (اختياري ،USB، RS-232	
فلاش	256KB	
محول كهرباء	9V DC / 2A	
طاقة البطارية	بطارية يمكن البقاء من قبل لمدة 4-5 أيام، عندما يكون السلطة .7.4V DC / 1500MA	
طاقة البطارية	lmلكاملة، ويمكن طباعة الورق 120-150	
ميزات أخرى	كشف الورق، والكشف عن السلطة، دليل اغلاق	
ظروف العمل	٪الرطوبة: 10٪~90 ،C درجة50℃ درجة الحرارة: -10درجة	
شروط التخزين	٪الرطوبة: 5٪~95 ،C درجة C~70 درجة الحرارة: -20درجة	
اسم الجهاز	.ASCII يمكن تخصيص، الرسالة والرقمية للخيار، في حد أقصى 30 حرفا	
كلمة السر	.أدخل الافتراضي رمز الإقران "1234"، ويمكن أن تكون مخصصة. في أقصى 6 الثلاثمائة	
البعد قابس الطاقة	3.5 * 1.1mm	









Simple but not easy

Battery charge indicator, easy to know rest power.





Higher print speed 90mm/sec



Low power consumption and large capacity Lithium battery.









Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm









Parameter

Overall Dimension (W×D×H)	105×75×45mm	
Weight	134g	
Color	Black	
Effective print width	48mm	0
Print method	Thermal line printing	in the
Print commands	ESC/POS compatible command set	
Print speed	Up to 90mm/sec	
Resolution	8 dots/mm(203dpi)	
Print font	12x24/ 24x24	
Column capacity	32 columns/ 16columns	
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)	
Paper dimensions	58.0±0.1mm x diameter 40.0mm	A STATE OF
Paper thickness	0.06 to 0.08mm	
Character set	Alphanumeric/ Chinese Kanji	
Interface	USB, RS-232, Bluetooth (optional)	
Flash	256KB	
Power Adapter	9V DC/2A	

Paper Roll Installation



Shipping and payment

- 1. EXPRESS: around 3-7 working days to arrive
- INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 3. By sea: depend on which destination port
- 4. T/T
- 5. Western Union
- 6. Escrow
- 7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.













:الوثائق ذات الصلة

مواصفة*

دليل البرنامج*

<u>كتيب التعليمات</u>*

Win2000 WinVista Win8-32bit برنامج تشغيل ويندوز إكس بي نظامي التشغيل*

Win8-64bit برنامج تشغيل∗

برنامج تشغيل لينكس*

معلمات الطابعة أدوات إعداد*

*USB Printdemo(التطبيق التجريبي البرمجيات)

(التطبيق التجريبي البرمجيات)Printdemo بلوتوث*

*SDK [[[[[]]]]]

القرص المضغوط ملفات*

:فيديو ذات الصلة

USB عن طريق البلوتوث وكايل ocpp-M05-BB كيف يعمل العمل مع الروبوت ودائرة الرقابة الداخلية نظام ا-M05-BB- فيديو للعمل عن طريق كابل الناقل التسلسلي العام ANDRIOD مع قرص OCPP-M05 فيديو للعمل

:التعليمات