

□□ 58 □□□□□ □□□□□ Pos Qr □□□□□□□□ □□□□□□□ □□□□ □□□ □□□□□□□□ □□□□□□ □□□□□□ □□□□□□ □□□

□□□□□	5803-□□□□□
□□□□□□□ □□□□□	□□□□□□□ □□□□ □□□□ □□□□□
□□□□□ □□□	□□□□□ □□□ □□□
□□□□□□□ □□□□□	□□□□□ RS232 □□
□□□□	203 □□/□□□□ 8) □□□□□□□ □□ □□□□□
□□□□□ □□□	57.5±0.5 □□□
□□□□□□□ □□□□	□□□□□/□□ 90 □□□□
□□□□□□□ □□□□□□□ □□□□□	48 □□
□□□□□□ □□□□□□	AS□□□□ GB2312-80 (□□□□□□□□)□ BIG5□ □□□
□□□□□□ □□□□□□	24*24):(□□□□□□(24*17,12*9):□□□)
□□□□□ □□□ □□□	□□□ 0 5 :□□□□□□□
□□□□□ □□□	0.055-0.09 □□□
□□□□□□ □□□□□	5 0 □□
□□□□□□□□□ □□□□□□ - □□□□□□ □□□□□□□□□	1 □□□□□□□□□ □□□□□ □□□□ D 2 □□
□□□□□ □□□ □□□□ □□	□□□□□□□□□□□ □□□□□
□□□□□ □□□□□ □□□ □□ □□ □□□□□	□□□□□□□□□□□ □□□□□
□□□□□□ □□□□	□ 2/□□□□□□□ 12 □□□□□□□
□□□□□□	114.8*132*86.4 □□□ □□□□
□□□□	150 □□□□
□□□□□□ □□□□□	140*130*80 □□□□□ 250/□□□ □□□□
□□□□□□□ □□□□□ □□□□	0°□°50~□
□□□□□□□ □□□□□	20% □ %85 ~ □
□□□□□□□ □□□□□ □□□□	-20°□°60~□
□□□□□□□ □□□□□	5% ~ 90% □

















