

Desktop 15 Inch POS Stand Touch Screen All In One POS

(Model No.: POS8829T)



Features:

1. Good-looking design is suitable for many POS field
2. Low power-consumption solution guarantees its stable quality and safety
3. LED/LCD customer display optional
4. MSR optional
5. Wifi optional

Applications:

1. Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
2. Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
3. Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
4. Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Specifications:

| | |
|------------------------|---|
| Model | POS8829T |
| Optional Color | Black/ Wine red |
| Optional Peripherals | ISO Track1/2/3 Magnetic Stripe Reader; LCD Customer display; LED8; WIFI |
| Main Board | Intel Chipset |
| CPU | Celeron J1900 Quad core 2.0 GHZ |
| Memory Support | DDRIII 1066/1333*1 2GB(up to 4GB) |
| Hard Disk | SSD32GB |
| LCD panel Size | 15 inch TFT LCD |
| Vice screen □Optional□ | 12inch,1024*768 |

| | |
|---------------------------|---|
| Brightness | 350cd/m ² |
| Resolution | 1024*768(max) |
| Touch Screen | 5 wire resistive touch screen |
| View Angle | Horizon: 150; Vertical: 140 |
| I/O port | 1* power button |
| | Serial*2 DB9 male |
| | VGA(15Pin D-sub)*1 |
| | LAN: RJ-45*1 |
| | USB(2.0) * 6 |
| | Audio out*12*Internal Speaker(option), MIC IN*1 |
| Operating temperature | 0 to 40 degree centigrade |
| Storage temperature | -20 to 60 degree centigrade |
| Power Consumption | 35W(max) |
| Compliance | FCC Class A/CE Mark/LVD/CCC |
| Packing dimension/ Weight | 440*270*425mm / 8 KGS |
| Operating System | Windows XP Professional Embedded (WEPOS, Linux compatible) |
| Power adapter | 110-240V/50-60HZ AC power Input, DC12/5A output |



POS8829





POS8829





POS8829





Power adaptor for option:



Shipping way:

1. Air, Sea, Express (DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination

port

4. By sea: depend on which destination port

Payment:

1. T/T in advance
2. Western Union
3. PayPal
4. Escrow
5. L/C

Certification:



After Sale Service:

Warranty:

12 months of shipment normally. Some designated models can have as long as 24 months warranty.

RMA Procedure:

If you suspect your product is not functioning properly, please contact us to help determine whether your product is defective within warranty. Once determined defective you will receive an RMA authorization number for repair or replacement. Customers will return the defective product to us. Upon receipt of defective products, warranty verification will include visual inspection and testing for normal wear and tear, alteration, and functional compliance of the OCOM product. Defective products will be repaired or replaced and shipped via express within 30 days or best effort. Customers will not be charged for warranty repairs. However, if a returned product does not meet warranty verification



then testing, repair, and/or shipping fees

may apply.

Dead-on-Arrival (DOA):

Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.

About Us:

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. OCOM has an experienced professional teams from marketing, R&D, quality control, and production to sales service. Based on our fast professional service, reliable quality, competitive price, and flexible cooperation modes, we would like establish stable and reliable partnerships with customers all over the world.

