

OCBS PDA

(No.OCBS-D8000)

특징:

Android4.1.

1.5 GHz ARM A9

WCDMA CDMA2000

A-GPS

HD 3 LED

SIM PSAM SD (TF)

3.7 V 4000mAh

4.0 QVGA

IP67

1.5 M

규격

크기	152mm (L) × 77mm (H) × 29mm (W)
중량	<500G
화면	4.0 QVGA TFT-LCD 650000 800 * 480 (QVGA) LED
연결	SIM PSAM SD (TF)
통신	USB2.0 RS-232
전원	3.7 V 4000mAh
출력	8Ω1W

Processor	29pcs ARM Cortex-A9 1.5GHz
RAM	2G RAM
Storage	4GB NAND Flash (SD / TF 32GB)
Network	IEEE802.11b LAN
WCDMA	UMTS2100 / 900MHz UMTS1900 / 850MHz GSM850 / 900/1800 / 1900MHz
CDMA2000	CDMA2000 1x CDMA2000 EV-DO 0 CDMA2000 EV-DO BC0 (800MHz) BC1 (1900MHz)
Display	2.0" + EDR 10-5"
Operating Temperature	-20 °C to 50 °C
Storage Temperature	-25 °C to 70 °C
Humidity	5% RH - 95% RH
IP Rating	IP67
OS	Android 4.1
SDK	Android SDK
Language	JAVA
Camera	SE655
Light Sensitivity	5ft.candles-10000ft.candles
Resolution	50 / 10000
Accuracy	53° ± 3°

UPC / EAN CODE39 2 1	Bookland EAN 128 CODE39 5 2 of5 5 2 MSI GS1 DataBar
SE955	
4	Mil
10000ft.candles	(107640)
104 (±) 12	(bothway)
47° ± 35°	(35 / (± 3°))
UPC / EAN CODE128 CODE39 Code93 Code11 5 Codabar MSI	
SE4500	
752	(480 × )
9000	ft.candles 96900 /
655nm ± 10nm	(VLD)
PDF417 MicroPDF417 DATAMATRIX MaxiCode POSTNET JapanPostal	RSS TLC-39 : (POSTNET) (KIX) 3
RFID	
LF	125K / 134K ISO11784 / ISO11785
HF	13.56MHZ ISO14443A / B
HD 3	LED
A-GPS	

XXXXXXXXXX



**الوثائق ذات الصلة:**

\*OCBS-D8000 CD