

صغيرة محمولة بلوتوث المحمول الروبوت نقاط البيع استلام الطابعة الحرارية

(نموذج: OCPP-M082)

**مواصفات:**

الأبعاد (W × D × H)	98 × 103 × 45mm و
وزن	280 غرام
اللون	أسود
عرض الطابعة فعالة	72 ملم
طريقة الطابعة	الطابعة خط الحرارية
أمر الطابعة	مجموعة التعليمات متوافق ESC / POS
سرعة الطابعة	ثانية / mm لضربات 90
قرار	(DPI نقطة / مم (203 8
طباعة الخط	في 24x24 / 24 في 12
قدرة العمود	48 / 24columns
حجم الحرف	1.5 × 3.0 3.0 / (العرض × الارتفاع) ×3.0mm (الارتفاع)
حجم الورق	0.1 ± إلى 80.0 قطر MM x30.0
ورقة سماكة	0.06-0.08 مم
مجموعة الأحرف	أبجدية / نص الصيني
السطح البيني	(وتقنية بلوتوث (اختياري، RS-232، USB
فلاش	256KB
محول الطاقة	9V DC / 2A
طاقة البطارية	بطارية يمكن البقاء في 4-5 أيام، 7.4 أمبير DC / 2000 M عندما يكون كاملا من قوة، ويمكن طباعة ورقة 120-150
الميزات الأخرى	كشف الورق، والكشف عن السلطة، وتغلق يدويا أسفل
ظروف العمل	%الرطوبة: 10~90 degreeC~50 درجة الحرارة: -10
شروط التخزين	%الرطوبة: 5~95 degreeC~70 درجة الحرارة: -20
اسم الجهاز	ASCII. يمكن تخصيصها لاختيار حروف وأرقام تصل إلى 30 حرفا
كلمه السر	افتراضي الإدخال كود الاقتران "1234" يمكن تخصيص. أقصى 6 digitals.
حجم قابس الطاقة	3.5 * 1.1 ملم

dering أو معلومات	P / N	وصف
	OCPP-M082-BB	الروبوت SUPPROT ، والبطارية Bluetooth مع
	OCPP-M082-BB-AI	الروبوت ودائرة الرقابة الداخلية SUPPROT ، والبطارية Bluetooth مع
	OCPP-M082-UB	الاتصالات USB Barrery مع
	OCPP-M082-U	البطارية ، BT الاتصالات ، دون USB
	OCPP-M082-B	الاتصالات ، من دون البطارية Bluetooth
	OCPP-M082-UC	مع شاحن سيارة ، USB الاتصالات
	OCPP-M082-BC	الاتصالات وتقنية بلوتوث مع شاحن سيارة
	OCPP-M082-C	مخصص الآخريين

□□□□□ □□□□□:





## Features

### **Simple but not easy**

Support Windows, Android,  
or iPhone OS;



Bluetooth, USB and  
RS232 communication.

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec.



100km TPH Life.





Low power consumption  
and large capacity  
Lithium battery.

### All-round show





## Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,  
Warehouse management, Delivery, Illegal Parking Ticket,  
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation





<b>Overall Dimension (W×D×H)</b>	98×103×45mm
<b>Weight</b>	280g
<b>Color</b>	Black
<b>Effective print width</b>	72mm
<b>Print method</b>	Thermal line printing
<b>Print commands</b>	ESC/POS/STAR compatible command set
<b>Print speed</b>	Up to 90mm/sec
<b>Resolution</b>	8 dots/mm(203dpi)
<b>Print font</b>	12x24/ 24x24
<b>Column capacity</b>	48 columns/24 columns
<b>Character size</b>	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm( W x H)
<b>Paper dimensions</b>	80.0±0.1mm x diameter 30.0mm
<b>Paper thickness</b>	0.06 to 0.08mm
<b>Character set</b>	Alphanumeric/ Chinese Kanji ASCII Font A:12×24 Font B: 9x17 Korean code page 949
<b>Communication Interface</b>	USB/RS-232, Bluetooth
<b>Flash</b>	256KB
<b>Power Adapter</b>	9V DC/1.5A
<b>Battery Power</b>	7.4V DC/ 2000mA; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper
<b>Other features</b>	Paper detection, power detection, Manual shut down
	Temperature:-10 degC ~ 50 degC.Humidity:10% ~

Working conditions	90%
Storage conditions	Temperature:-20 degC ~ 70 degC, Humidity:5% ~ 95%
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized. At max 6 digitals.
Power plug dimension	3.5*1.1mm

## Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.



## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.



## **مستندات ذات صلة:**

\*[أيون Specificat](#)

\*[دليل البرنامج](#)

\*[كتب التعليمات](#)

\*[برنامج تشغيل ويندوز إكس بي نظامي التشغيل Win2000 WinVista Win7 و Win8-32bit](#)

\*[برنامج تشغيل Win7 و Win8-64bit](#)

\*[برنامج تشغيل لينكس](#)

\*[معلومات الطابعة أدوات ضبط](#)

\*[Printdemo USB \(تطبيق تحريبي اليرمحات\)](#)

\*[Printdemo بلوتوث \(تطبيق تحريبي اليرمحات\)](#)

\*[لأجهزة الأندرويد SDK](#)

\*[القرص المضغوط ملفات](#)