

الأبيض 4 "الحرارية الحرارية U-أوكب-007

طابعة تسمية الباركود

(M / N: OCBP-007)

1.Features:

- ل جودة عالية مزدوجة الجدران تصميم صدفي
- ل وحدة المعالجة المركزية ريس 32 بت
- فلاش MB سDRAM، 4 JMB 8
- ل رئيس المتابعة الاستشعار
- ل 203 نقطة في البوصة القرار
- ثانية سرعة الطباعة العالية / (4 " ") 102 Jmm
- عرض الطباعة 108 Jmm
- قابل للتعديل م عرض إديا ("4.4"-0.78) 112-20 Jmm

2.Parameters:

معامل	
القرار	(نقاط / مم (203 ديسيبيل متوحد الخواص 8
طريقة الطباعة	الحرارية المباشرة
سرعة Max.print	102 (مم (4 بوصة S
عرض Max.print	(مم (4.25 بوصة
طول Max.print	(مم (90 بوصة
نوع الوسائط	المستمر، الفجوة، علامة سوداء، مروحة-- أضعاف واللحم حفرة
عرض الوسائط	20-112mm (0.78 "-4.4")
سمك الوسائط	0.06 ~ 0.16mm ((2.36 ~ 6.3mil
طول التسمية	10 ~ 2,286mm (0.4 " " ~ 90 " ")
سعة لفة التسمية	(مم (5 ") أود (الجرح الخارجي 127
نسيج	بلاستيك مزدوج الجدران
البعد المادي	240 مم(W)× 211 ملم(H)× 166 د
وزن	2.15kg
المعالج	وحدة المعالجة المركزية ريس 32 بت
ذاكرة	سDRAM، قارئ بطاقة سد لتوسيع ذاكرة فلاش، وتصل إلى 4 غيغابايت MB ذاكرة فلاش، 4MB 8
جهة تعامل	أوسب 2.0
الخطوط الداخلية	الخطوط النقطية ألفا رقمية، وخطوط ويندوز قابلة للتنزيل من البرنامج 8
الباركود	كودبار، A، B، C، 128 سوبسيتنس، UCC الرمز الشريطي: كود 39، كود 93، كود 128، أوبك إين و أوبك 2 (5 أرقام إضافة E-أوبك، A-إنتيرليفت 2 أوف 5، إين-8، إين-13، إين-128، أوبك على، مسي، بليسي، بوستنتيت، الصين آخر الباركود: بدف-417، ماكسيكود، داتاماتريكس، رمز الاستجابة السريعة 2D
الخط والباركود التناوب	درجة 0°، 90°، 180°، 270°
حالة البيئة	عملية: 5 ~ 40 درجة مئوية، 25 ~ 85% دون تكاثف، التخزين: -40 ~ 60 درجة مئوية، 10 ~ 90% دون تكاثف

3.Pictures:



Features



All-round show



Application Area



Parameter

Resolution	8 dots/mm(203DPI)
Printing method	Direct Thermal
Max print speed	100 mm/47.24"
Max print width	108 mm (4.25")
Max print length	2286 mm (90")
Media type	Continuous, gap, notch mark, non-feed and punched hole
Media width	20-108mm (0.78"-4.2")
Media thickness	0.08-0.16mm (3.5-6.3mil)
Label length	10-2.286mm (4"-90")
Label roll capacity	127 mm (5") OD (includes unwind)
Structure	Cloth or metal plate
Physical dimension	240 mm (L) x 211 mm (W) x 105 mm (D)
Weight	2.1kg
Processor	32-bit RISC CPU
Memory	4MB Flash Memory, 8MB SDRAM, SD card reader for Flash memory expansion, 32K x 4 GB
Interface	USB 2.0
Internal ports	9-pin serial, Serial, LAN, RS-485, IrDA, FireWire, Parallel, USB, Ethernet, SD card reader for Flash memory expansion, 32K x 4 GB
Barcode	1D bar code Code 39, Code 93, Code 128, UCC, Code 128 subsets A, B, C, Code 128 subsets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000
Font and barcode resolution	300 bar code PDF417, Microcode, DataMatrix, QR code
Environment condition	Operation: 5 ~ 40°C, 25 ~ 85% non-condensing. Storage: -40 ~ 60°C, 10 ~ 90% non-condensing

Production Line





Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Desktop Printer	10,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Terminal	6,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Actual production has been verified by TÜV on 2012.12.1

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001:2008 in the process of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Product Name	Brand & Model No.	Quantity
✓	Aging Tester	Int Instrument	6
✓	Infrared Indigo Tester	CC373A	1
✓	Distortion	820710	1
✓	DC Power Supply	PS-3000A	4
✓	Digital Testset Meter	9F100	1
✓	Calibrator	Q50000C1	2
✓	Multi-meter	VCM80	7
✓	Test Computer	No information	13

Actual production has been verified by TÜV on 2012.12.1

Certifications



Packing and Shipment



Payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Why you choose us?



Company Profile



OCOM Technologies Limited founded in 2007, is a client leading supplier of PC and POS related products from China.

OCOM's products portfolio covers Thermal Printer, QR Code Printer, Barcode Printer, Receipt Scanner, Receipt/QR reader, POS Terminal, POS peripheral. Our products have passed CE, FCC, TSPS and other certifications, and authorized for Europe, America, Africa and other regions.

OCOM has a professional team including marketing, R&D, quality control, production and sales service. The management team have worked in the FORTUNE 500 companies as sector managers for many years. All of the sales have more than 5 years' experience, which help us to meet and exceed the customer's satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the most professional capabilities for product consistency and guarantee to work. Based on our strong capacity, the normal lead time for main products is about 1 to 7 days even for bulk order.

"Honesty based, open for resources, win-win cooperation" We seek the stable and reliable partnership with customers all over the world. OCOM is welcome.



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Address: 4/F, Block 10, Zhongxing Industrial Park, Changyue Road, Nanshan District, Shenzhen 518054, China
 Websites: <http://www.prosolution.com.cn>; <http://www.ocominc.com>
 E-mail: ocom@ocominc.com; ocomtech@icmail.com;
 Skype: ocominc2008, ocominc
 MSN: ocomtech@hotmail.com, ocominc@hotmail.com;
 TradeManager: ocominc, cn100430966.
 QQ: 245860637, 150885203.
 Tel/Fax: +86 755 8605 5207.



4.FAQ:

1) موك سياسة .

لا موك الحد للمنتجات القياسية، ولكن سعر الوحدة هو مختلف، أكبر كمية أفضل الأسعار. لإنتاج مخصصة، يمكنك مناقشة موك مع مندوب المبيعات لدينا مباشرة.

2) . توفر العينة & أمب؛ سياسات

بعد تأكيد العملاء مواصفات، نحن سعداء جدا لتقديم عينات للاختبار والتأهيل.

وينبغي أن تدفع جميع العينات قبل شipment، عينات الأسعار هو أعلى من النظام الشامل. عندما وضع النظام الشامل، يمكننا العودة لك عينات التكلفة، أو نرسل لك أكثر قطعة المنتجات مع shipment.

ايون الغربية، أو باي بال. ويمكنك أيضا شرائه على متجر على الانترنت في t / t يمكنك شراء عينات منا مباشرة باستخدام minisite_Cl = ؟ تراسيلوغ403448//www.aliexpress.com/store: أليكسبريس: هتب

3) ضمان

وتكرس أوكوم لتوفير معظم المنتجات والخدمات فعالة من حيث التكلفة مع نوعية موثوق بها من شأنها أن تلبى customers'satisfaction.

كنا مؤهلين من قبل شركة ثروة 500 العالمية، ولدينا أعلى مستوى التجارة 1 ضمان 100% التي تحمي أموالك وقيادة الوقت.

لدينا الضمان من المنتجات حوالي 12 + 1 أشهر من شحنة عادة، بعض النماذج المعينة يمكن أن يكون طالما 24 شهرا الضمان؛

أي منتج خلال 30 أيام من تسليم فشل يحدث يعتبر تسليم غير صالحة (دوا). دوا المنتجات سوف تعطي الأولوية إلى استبدال، وشحنها عن طريق البريد.

للحصول على النظام الشامل، نود أن توريد بعض قطع الغيار مع شحنة المحلية إصلاح بسرعة. وبعد ذلك، يمكنك إرجاع أجزاء الفشل لإعادة صياغة وتحليل.

4) شروط الدفع

لك، ويسترن يونيون، الضمان أو غيرها. حول عينات النظام، / تي تي، ويسترن t / t ل النظام الشامل، يمكنك دفع لنا باستخدام حاليا، يمكنك الدفع باستخدام مونيوكيرز، فيزا، alipay.com، يونيون، الضمان، باي بال مقبولة. هو مدفوع من خدمة الضمان B ماستر كارد والتحويل المصرفي. يمكنك أيضا دفع مع بطاقات الخصم بما في ذلك مايسترو، منفردا، كارت بلو، بوستيبي، كارتاسي، 4 و Euro6000.

5. :□□□□□□ □□□□□□

أوكوم تكنولوجيا المحدودة هي المورد الرئيسي والشركة المصنعة لنقاط البيع والمنتجات ذات الصلة لصناعة السيارات في إد مع توف التحقق منها. أوكوم تخدم ثروة 500 شركة، ولها أعلى 1% أسورانس التجارة المستوى غوارانتي بواسطة بابا.

وتغطي محفظة منتجات أوكوم طابعة حرارية، طابعة الباركود، طابعة مصفوفة نقطة، ماسح الباركود، نقاط البيع الطرفية، قارئ البطاقة الممغنطة، محطة التاريخ، وغيرها من المنتجات الطرفية بوس (درج النقدية، عرض العملاء، مراقبة نقاط البيع، لوحة المفاتيح بوس، عداد المال، مقياس الالكترونية، ورقة الحرارية)، والتي تستخدم على نطاق واسع لتجارة التجزئة، مطعم، البنك، اليا نصيب، النقل، لوجستية، وغيرها من التطبيقات. لدينا سي، فك وغيرها من الشهادات المطلوبة. مهمة أوكوم هو أن يكون خيارا مقنعا لشركائنا، والاعتقاد الثلاثة الأساسية هي "النزاهة القائمة، والسعي للتميز، والتعاون المريح للجانبين". نود إقامة مستقرة وموثوق بها شراكات مع العملاء جميع أنحاء العالم. أوم / أودم هو موضع ترحيب.

6.Contact:

□□□□□□ :□□□□□□

أوكوم تكنولوجيا المحدودة

بلوك 10، تشونغشينغ حديقة صناعية، تشوانغي الطريق، منطقة نانشان، f، / عنوان: 4

شنتشن 518054، الصين؛

الموقع الإلكتروني

: www.ocominc.com، www.possolution.com.cn

E-میل: sales14@ocominc.com!
سکایپ: sales14@ocominc.com
مسن: ocomsales14@hotmail.com!
واتساب: 0086.18948789890
ویشات: 0086.18948789890
مویبل: 0086.18948789890
ق: 1467261417
هاتف: 814-0086.755.86053207
فاکس: 868-0086.755.86053207