

OCBP-007A 32-bit RISC CPU 8MB SDRAM 4MB ROM

Model / N: OCBP-007A



Features:

32-bit RISC CPU

8MB SDRAM 4MB ROM

102mm (4") / s max.print

108mm (4.25") max.print

Max.print 2286 (90")

0.06 ~ 0.16mm ((2.36 ~ 6.3mil)

10 ~ 2286mm (0.4" ~ 90")

127.5mm (5") OD (max.print)

Specifications:

Model	OCBP-007A
CPU	32-bit RISC CPU
RAM	8MB SDRAM
ROM	4MB ROM
max.print	102mm (4") / s
max.print	108mm (4.25")
Max.print	2286mm (90")
Print resolution	0.06 ~ 0.16mm ((2.36 ~ 6.3mil)
Print width	10 ~ 2286mm (0.4" ~ 90")
Print diameter	127.5mm (5") OD (max.print)

□□□□	□□□□□□□□ □□□□ □□□□□□□□
□□□□□□ □□□□□□	240 □□□ □W □ 211 □□□ □H □ × 166 □□□ □D □
□□□□	2.15kg
□□□□□□□□	32-□□ RISC CPU
□□□□□□	4 8 □ □□□□ □□□□□□ □□□□□□□□□□□□ MB SDRAM □ □□□□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□□□□ □□□□ □□□□ □ □□□□ □□□□□ □□□□□□ □□□□□□□□□
□□□□□ □□□	USB 2.0
□□□□□□□□□ □□□□□□	8 □□□□ □□□□□ □□□□ □ □□□□□ - □□□□□ □□□□□ □□□□□ Windows □□□□□□□□ □□.
□□□□□□□□□□	1 □□□□□□□ □□□□□□ D □ 128 □□□□□ □ 93 □□□□□ □ 39 □□□□□□ UCC □ 128 □□□ □□□□□□ A □ B □ C □ Codabar □ 5 □□ 2 □□□□ □ EAN-8 □ EAN-13 □ EAN-128 □ UPC-A □ UPC-E □ EAN □ UPC 2 (5) □□□□□ □□□□□ □ MSI □ PLESSEY □ POS TNET □ □□□□□ POS T
	□□□□□□□ □□□□ □□□□□□□□□ □□□ □ PDF-417 □ Maxicode □ DataMatrix □ □□□ □□□□□□□ □□□□□□□□□□
□□□□□□□□ □□□□□□□□ □□□□	0 ° □ 90 ° □ 180 ° □ 270 °
□□□□□□ □□□□	60 ~ 40- : □□□□□□□ □ □□□□□ □□□ □ 85 ~ 25 □ □□□□□ □□□□ □ 40 ~ 5 : □□□□□□□ □□□□□ □□□ □ 90 ~ 10 □ □□□□□ □□□□



OCBP-007





OCBP-007






OCBP-007





OCBP-007





قابس الطاقة المتاحة:



منطقة التطبيق:

▶ Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



□□□ □□□ □□□□□□:

[□□□□□□□□ □□□□□□□□ □□□□□□ □□□□□ OCBP -T31 3 □□□□□□ □□□□□□ □□□□ □□ □□□□□□□□□□](#)

[OCBP -005 3 □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□](#)

[OCBP -004 4 □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□□□□□ □□□□□ □□□□](#)

[OCBP -006 □□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□ □□□□□ □□□□□ 2 □□□□□□□ □□□□□](#)