

# Direct Thermal Label Printer

□M/N: OCBP -010.□



□□□□:

Support TSPL Command for Label printing

Support ESC/ POS Command for Receipt Printing

160mm/s high printing speed

Provide free label making software

Exterior paper holder for optional

□□□□	
□□□□□□	USB(Standard)□USB+LAN□USB+BT□USB+LAN(Optional)
Print Comand	TSPL/ESC/ POS
Print Method	Thermal Line Printing
Pirnt Speed	160mm/sec
□□□□□	203 dpi
Auto Paper Cutter	□□□
□□□□□□□ □□□	104mm(MAX)
Compatible OS	Win9X/Win2000//Win2003/Win Vista/ Win 7/Window XP /win 8/win8.1/Win 10/IOS/Android
□□□	
□□□□	□□□□ □□□
□□□	110±0.5mm
Paper Thickness	0.06-0.3mm
□□□□□□□□	
□□□	DC 24V/2.5A
Print Reliability	100km
Environmental	
□□□□□ □□□□	Working: 0 to 50 Degrees
□□□□□	Working: 20%-85%
□□□□ □□□□□	Bold printing / character adjusting / line spacing setting supported/1D & QR Barcode Print&PDF417



OCBP-010





OCBP-010





OCBP-010





OCBP-010





OCBP-010





OCBP-010







OCBP-010







