ماسح الباركود Dمحمول2

(OCBS-2006 :نموذج)

:المواصفات

خصائص الأداء				
صورة الاستشعار	CMOS			
وضع المسح الضوئي	(ثنائية الأبعاد صور (900 س 650			
زاوية المسح الضوئي	المستوى: 41.4 درجة. العمودي: 32.2 درجة :HD عالية الكثافة			
	الأفقي: 42.4 درجة. الرأسي: 33 درجة :SR المسافة القياسية			
	أفقية: 31.6 درجة؛ العمودي: 24.4 درجة ER طويل			
مكافحة غضب	cmأفقية السرعة: 12.7			
على النقيض الطباعة التعرف	الحد الأدني 18٪ الانعكاس فرق			
إضاءة	0 ~ 100000 LUX			
القدرة على فك رموز	الرموز البريدية والحروف ،PDF417 ،رمز الاستجابة السريعة ،D، 2رموز D، 2جميع رموز DOCR			
مدة الصلاحية	سنة 1			
لفة / الملعب	درجة / 68 درجة 42			
الخصائص البدنية				
السطح البيني	الوتد لوحة المفاتيح ،USB، RS232			
استهلاك الطاقة	2W (450 5 @ مللي أمبير ك 450)			
مساهمة الجهد االكهربي	مللي أمبير 350 @ VDC -/+ 5			
تعليق قوة	0.4W (120 5 @ مللي أمبير 0.4W (120 5			
الوزن	غ 150			
أبعاد	مم × 70 مم × 85 مم 180			
بيئة المستخدم				
العمل درجة الحرارة	(F إلى 104 درجة F إلى 55 درجة مئوية (32 درجة C درجة C درجة C			
درجة حرارة التخزين	(إلى 60 درجة مئوية (-40 درجة فهرنهايت إلى 140 درجة فهرنهايت C درجة 40-			
رطوبة	(دون تكاثف) ٪95 - ٪5			
:آمنة				
الشهادات	B الفئة B، CE EMC فئة Part15 لجنة الاتصالات الفدرالية			

:تفاصيل المنتج



Product Picture






Features


Simple but not easy

Handheld barcode scanner for 1D/2D barcode;


















All-round show







Parameter

Image Sensor	CMOS	
Scan Mode	Two-dimensional images (900 x 650)	
Scan angle	High Density HD: Level: 41.4 degree; Vertical: 32.2 degree Standard distance SR: horizontal: 42.4 degree; Vertical: 33 degree Long ER: horizontal: 31.6 degree; Vertical: 24.4 degree	
Anti-jitter	Horizontal speed: 12.7cm	
Identifiable print contrast	Minimum 18% reflectance difference	

Illumination	0~100,000 LUX			
Decoding capability	All 1D codes, 2D codes, QR code, PDF417, postal codes and OCR character			
shelflife	1 year			
Roll/ Pitch	42 degree/ 68 degree			
Physical Characteristics				
Interface	USB, RS232, Keyboard Wedge			
Power Consumption	2W (450 mA @ 5 V)			
Input Voltage	5+/-10%VDC @ 350 mA			
Standby Power	0.4W(120 mA @ 5 V)			
Weight	150 g			
Dimensions	180 mm x 70 mm x 85 mm			
User Environment				
Operate Temperature	Odegree C to 55 degree C (32 degree F to 104 degree F)			
Storage Temperature	-40 degree C to 60 degree C (-40°F to 140 degree F)			
Humidity	5% - 95%(non-condensing)			
Safe:	**			
Certificates	FCC Part 15 Class B, CE EMC Class B			

Production Line





Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
1	Thermal Printer	40,000 Sets / Month	250,000 Sets
1	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
1	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
1	Barcode Scanner	40,000 Sets / Month	20,000 Sets
1	POS Machine	5,000 Sets / Month	10,000 Sets
1	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

√ Indicates information has been verifed onsite by TUV on 2013.7.15

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfication.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products



have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
1	Ageing Tester	No Information	6
1	Withstand Voltage Tester	CC2670A	1
1	Oscilloscope	TBS1102	1
1	DC Power Supply	PS-305DM	6
1	Digital Torque Meter	HP100	1
4	Calliper	GUANGLU	2
1	Multi-meter	VC890D	7
1	Test Computer	No Information	13

7

vo information 13

✓ Indicates information has been verifed onsite by IUV on 2013.7.15

Certifications



Packing and Shipment





Payment

















Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand,

and we have established goods relationship with our customers and have friendly communication with each other.



Why you choose us?





Flexible Cooperation

Company Profile

This Assessed Supplier Has Been Independently Verified

Build Your Growth On Trust









OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot set ing in Eruope, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



Contact us

Any queries, please contact us immediately, big supprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,

Shenzhen 518054, China;

Websites: http://www.thermalprinter.com.cn; http://www.ocominc.com;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637,190852203; Tel/Fax: +86.755.8605.3207.



:الوثائق ذات الصلة