

## High Performance 2D Barcode Scanner With Stand

(M/N: OCBS -2021)



### سمات:

Subvert traditional design, with simple assembly stand

0.3 million overall situation exposure, 60fps fast speed

3mil resolution bar code reading ability

Support reading many kinds of 1D&2D bar code

Support reading difficult bar codes (blurred, wrinkled, fuzzy, low contrast, high density)

Widely used in different host systems, such as windows 7/8/10, iOS, Android and Linux system, etc

### تخصيص

عام	
نموذج	OCBS -2021
مادة	ABS+TPU
وحدة المعالجة المركزية	32bit ARM
مستعمل	Beep&LED
Scanning mode	Manual trigger/automatic induction
واجهه المستخدم	USB-HID,USB-VCP

مساهمة الجهد	3.6v~5.6v DC
حاضر	Working current 142mAh,Standby current 42mAH
كابل	1.6M
أداء	
المستشعر	CMOS
مصدر ضوء	White LED(lighting) red LED aiming
Scanning speed	60fps
الدقة	≥3mil
Decoding Depth	60-360mm
Ex pos ure	Global Ex pos ure
COMS Image Size	640x480
Anti-ambient light interference	0~5000Lux(fluorescent)~100,000Lux(Sunlight)
Barcodes	1D:Codabar~Code11~Code39~Code32~Interleaved 2 of 5~Industrial 2 of 5~Matrix 2 of 5~Code93~Code128~GS1-128~UPC-A~UPC-E~EAN 8~EAN 13~GS1 DataBar~RSS14~GS1 DataBar Limited~GS1 DataBar Expanded~etc 2D: PDF417~Micro PDF417~QR Code~Micro QR~Data Matrix~Aztec Code
بزاوية المسح الضوئي	Rotate 360°, inclination 65°, elevation 60°
جسدي - بدني	
وزن	Gross:185g
البعد	163*68*80mm
بيئة	
درجة حرارة العمل والرطوبة	إلى 45 درجة مئوية، 10% ~ 80% لا التكثيف 0
درجة حرارة التخزين والرطوبة	إلى 60 درجة مئوية، 10% ~ 90% لا التكثيف -20



OCBS-2021







OCBS-2021





OCBS-2021





OCBS-2021







OCBS-2021

