

OCPP-585 2inch □□□□ □□□□ □□ □□□□□□ □□□□□□□□

(OCPP-585: نموذج)

2inch



1. ১৯৭১ সালের ১৫ আগস্ট:



□ حجم صغير وتصميم أنيق

□ يمكن أن تدفع درج النقود

□ سرعة طباعة عالية

ESPON متوافق مع

50 KM الطباعة رئيس الحياة:

2. 58mm □□□□□□ □□□□□□ □□□□□ □□□□□□:

طريقة الطباعة	مباشرة الحرارية
طباعة الكثافة	384dots / 203 (DPI خط)
حجم الحرف	384dots / الحرف، والخط، ANK، الخط: A: 12 * 24dots، 1.5 (W) * 3.0 (H) ملم 24 * 24 dots، 3.0 (W) * 3.0 (H) ملم / التبليدية: 24 * 24
نوع الباركود	JAN13 (EAN13) JAN8 (EAN8) CODE39
قيادة الطباعة	EPSON ESC / POS متوافق مع
لغة	دعم اللغة المشتري

سرعة الطباعة	ثانية / mm ضربات 90
عرض الورق	و 57.5 ± 0.5mm
ورقة سماكة	0.06-0.08mm
MCBF (الحياة)	50KM
بعد	190 * 132 * 119mm
الوزن الإجمالي	1.2KG
كتر السيارات	القاطع اليدوي
الاستشعار	ورقة قرب نهاية الاستشعار، ورقة النهاية الاستشعار، غطاء استشعار مفتوحة
ورقة لفة	Φ75mm
السطح البيني	RS-232C، بالتوازي مع ذلك، USB، LAN
سائق	ESRON وين 2000، 2003، إكس بي وين، وين فيستا، ويندوز 7 متوافق مع X، فوز 9
محول الجهد الإدخال	AC 110V / 220V، 50-60HZ
الإخراج محول الجهد	DC12V / 3A
طابعة المدخلات الجهد	DC12V / 3A
تحكم درج النقدية	DC12V / 1A
درجة حرارة العمل	0-45degree C، 80-10% الرطوبة:
درجة الحرارة إنقاذ	-10-60degree C، 90-10% الرطوبة:
شهادة	بنفايات / CE / FCC / CCC



58mm Thermal Receipt Printer

OCPP-585



Product Picture





Features

Simple but not easy

Small size and elegant design



Printing head life: 50KM



All-round show





Application Area


Food delivery, restaurant, Traffic Citation,
Logistics, Transportation, Warehouse management,
Delivery, Illegal Parking Ticket, Drugstore,
Price Tag, Retail/Farm



Parameter

Printing Method	Direct thermal
Print Density	384dots/line (203DPI)
Character Size	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H)mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Barcode Type	JAN13 (EAN13) JAN8 (EAN8) CODE39
Printing Command	Compatible with EPSON ESC/POS
Language	Buyer language support
Printing Speed	90mm/sec
Paper Width	57.5±0.5mm
Paper Thickness	0.06-0.08mm
MCBF(life)	50km
Dimension	190*132*119mm
Gross Weight	1.2KG
Auto Cutter	manual cutter
Sensor	Paper Near End Sensor, Paper End Sensor, Cover open sensor
Roll Paper	Φ75mm
Interface	RS-232C, Parallel, USB, LAN
Driver	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 compatible with ESPON
Adapter Voltage Input	AC 110V/220V, 50-60Hz

Connection



- a. Plug the DC cord connector into the printer's power connector..
- b. Plug the data cable connector into the printer's interface connector.
- c. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.




Adapter Voltage Output	DC12V/3A
Printer Input Voltage	DC12V/3A
Cash Drawer Control	DC12V/1A
Working Temperature	0-45℃, Humidity: 10-80%
Saving Temperature	-10-60℃, Humidity: 10-90%
Certificate	CE/FCC/CCC/RoHS

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.


Connection



- ## Shipping and payment
1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
 2. EXPRESS: around 3-7 working days to arrive

Shipping and payment

- □□ □□□□





□□□□.□□□□□□.□□□□□□□□.IMG SRC = "//

0000.000000.000000. IMG SRC = "//

OCOM 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500 2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2552 2553 2554 2555 2556 2557 2558 2559 2560 2561 2562 2563 2564 2565 2566 2567 2568 2569 2570 2571 2572 2573 2574 2575 2576 2577 2578 2579 2580 2581 2582 2583 2584 2585 2586 2587 2588 2589 2590 2591 2592 2593 2594 2595 2596 2597 2598 2599 2600 2601 2602 2603 2604 2605 2606 2607 2608 2609 2610 2611 2612 2613 2614 2615 2616 2617 2618 2619 2620 2621 2622 2623 2624 2625 2626 2627 2628 2629 2630 2631 2632 2633 2634 2635 2636 2637 2638 2639 2640 2641 2642 2643 2644 2645 2646 2647 2648 2649 2650 2651 2652 2653 2654 2655 2656 2657 2658 2659 2660 2661 2662 2663 2664 2665 2666 2667 2668 2669 2670 2671 2672 2673 2674 2675 2676 2677 2678 2679 2680 2681 2682 2683 2684 2685 2686 2687 2688 2689 2690 2691 2692 2693 2694 2695 2696 2697 2698 2699 2700 2701 2702 2703 2704 2705 2706 2707 2708 2709 2710 2711 2712 2713 2714 2715 2716 2717 2718 2719 2720 2721 2722 2723 2724 2725 2726 2727 2728 2729 2730 2731 2732 2733 2734 2735 2736 2737 2738 2739 2740 2741 2742 2743 2744 2745 2746 2747 2748 2749 2750 2751 2752 2753 2754 2755 2756 2757 2758 2759 2760 2761 2762 2763 2764 2765 2766 2767 2768 2769 2770 2771 2772 2773 2774 2775 2776 2777 2778 2779 2780 2781 2782 2783 2784 2785 2786 2787 2788 2789 2790 2791 2792 2793 2794 2795 2796 2797 2798 2799 2800 2801 2802 2803 2804 2805 2806 2807 2808 2809 2810 2811 2812 2813 2814 2815 2816 2817 2818 2819 2820 2821 2822 2823 2824 2825 2826 2827 2828 2829 2830 2831 2832 2833 2834

T / T LC .

[illegible]

3.

பெரிய அளவுக்குள்ளேயே பணத்தைச் செலவு செய்து, அதன் மூலமாக நல்ல பண்புகள் வளர்வதற்கு உதவி செய்வதே பெரியவர்களின் பொறுப்பு. பெரியவர்கள் தான் குழந்தைகளுக்கு எல்லா வகையிலும் உதவி செய்ய வேண்டும். குழந்தைகளின் பண்புகள் வளர வேண்டுமென்றால் பெரியவர்கள் தான் உதவி செய்ய வேண்டும்.

4. **□□□□□ .□□□□□ □□□□□□ & □□□□□ □□□□□**

00 000000 .000000000 000000 000000 000 000000 0000 000000 00000000 00000000 000000 000
 000 000000 .0000000 0000000 00 000000 0000 00 000000 00000000 0000000 000 0000000 0000 0000
 00 000000000 00 0000000 00 0000 00 0000000000 .000000 0000 0000 00 000000 000000000 0000000
SHIPMENTS 0 / 0 0000000000 00000000 0000 00 000000 0000 0000000 uion 0000 0000 00 00000000
 00 0000000000 00000 0000 0000 0000 0000 000000 aliexpress :. [HTTP: //www.aliexpress /](http://www.aliexpress/) 000
 0403448 / 00000 tracelog = minisite CI 0000 0000 00 000 0000 000000 factorie 000000

□□□□□ □□□ □□ .5 □□□□:

[illegible]

6. □□□□□

<http://www.possolution.com.cn/cn/download.html>

7. □□□□□ □□□□□

00000000 00000000 000 000000 0000 000 000000 0000 00000000 00000000 000 0000000 00000000
 00 000000 00000000 000000 <http://www.possolution.com.cn/video.html>.

8.

--	--	--	--	--	--	--	--

[illegible]

9.

http://www.possolution.com.cn/inquiry.html

Copyright © 2010 Pearson Education, Inc.

A diagram of a 1D lattice consisting of a horizontal chain of blue squares. The chain is divided into three segments by two vertical gaps. The first segment on the left contains 10 squares, the middle segment contains 4 squares, and the third segment on the right contains 10 squares. The two vertical gaps are shaded gray and each is labeled with the letter 'i' below it.

A diagram of a 1D lattice represented by a horizontal chain of blue-outlined squares. The chain is divided into three segments by gaps. The first segment contains 8 squares, the second contains 8 squares, and the third contains 8 squares. The last square of the first segment and the last square of the third segment are shaded gray and labeled with the letter 'l' below them.

معلومات عامة،

منتجات نقاط البيع الطرفية الأخرى

معلومات عامة، معلومات عامة،

معلومات عامة، معلومات عامة، [POS](#)،

معلومات عامة، معلومات عامة،

معلومات عامة