# طابعة الإيصالات الحرارية MM POSعالية الجودة 58
# (الموديل: OCPP -585)

**تخصيص:**

| | |
|---|---|
| طريقة الطباعة | حراري مباشر |
| كثافة الطباعة | 384 ديسيبل (203 خط / نقطة) |
| حجم الحرف | 384dots / line، ANK character، الخط: A: 12 * 24dots، 1.5 (W) * 3.0 (H) mm<br>24 * 24 :التقليدية / المبسطةdots ، 3.0 (W) * 3.0 (H) ملم |
| نوع الباركود | JAN13(EAN13)JAN8(EAN8)CODE39 QR CODE |
| قيادة الطباعة | متوافق مع PSON ESC / POS |
| لغة | دعم لغة المشتري |
| سرعة الطباعة | 90 ضرباتmm / ثانية |
| عرض الورق | 57.5 ± 0.5mm و |
| سمك الورق | 0.06-0.08mm |
| MCBF (الحياة) | 50 allkm |
| البعد | 190 * 132 * 119mm |
| الوزن الإجمالي | 1.2KG |
| قطع السيارات | القاطع اليدوي |
| المستشعر | مستشعر قرب نهاية الورق ، مستشعر نهاية الورق ، مستشعر الغطاء المفتوح |
| ورق اللف | Φ50mm |
| جهة تعامل | USB + بلوتوث |
| سائق | متوافق مع win10 Win8.1 وين فيستا، فوز 7 فوز 8 ،XP وين 2000، فوز 2003، فوز ،Xفوز 9<br>ESPON |
| مدخلات الجهد محول | AC 110V / 220V، 50-60HZ |
| محول الجهد الناتج | DC12V / 3A |
| إدخال الطابعة الجهد | DC12V / 3A |
| مراقبة درج النقدية | DC12V / 1A |
| درجة حرارة العمل | 0-45°C، 80-10 :رطوبة٪ |
| درجة حرارة الادخار | -10-60°C90-10 :والرطوبة٪ |
| شهادة | CE / FCC / CCC / بنفايات |

**تفاصيل المنتج:**

## Product Picture

## Features

High printing speed
Compatible with ESPON
Can drive cash drawer

## All-round show

## Application Area

Food delivery, restaurant, Traffic Citation,
Logistics, Transportation, Warehouse management,
Delivery, Illegal Parking Ticket, Drugstore,
Price Tag, Retail/Farm

## Parameter

| | |
|---|---|
| Printing Method | Direct thermal |
| Print Density | 384dots/line (203DPI) |
| Character Size | 384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm<br>Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm |
| Barcode Type | JAN13（EAN13）JAN8（EAN8）CODE39 |
| Printing Command | Compatible with EPSON ESC/POS |
| Language | Buyer language support |
| Printing Speed | 90mm/sec |
| Paper Width | 57.5±0.5mm |
| Paper Thickness | 0.06-0.08mm |
| MCBF(life) | 50km |
| Dimension | 190*132*119mm |
| Gross Weight | 1.2KG |
| Auto Cutter | manual cutter |
| Sensor | Paper Near End Sensor, Paper End Sensor, Cover open sensor |
| Roll Paper | Φ75mm |
| Interface | RS-232C, Parallel, USB, LAN |
| Driver | Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 compatible with ESPON |
| Adapter Voltage Input | AC 110V/220V, 50-60Hz |

| | |
|---|---|
| Adapter Voltage Output | DC12V/3A |
| Printer Input Voltage | DC12V/3A |
| Cash Drawer Control | DC12V/1A |
| Working Temperature | 0-45℃, Humidity: 10-80% |
| Saving Temperature | -10-60℃, Humidity: 10-90% |
| Certificate | CE/FCC/CCC/RoHS |

## Paper Roll Installation

A Open the printer cover.

B Install the roller in the roll paper, and put them into the printer.

C Pull out some paper outside the printer and then close the printer cover.

D Close the top cover. Press the printer cover to avoid error position of roll paper.

E Tear-off the paper correctly.

## Connection




a. Plug the DC cord connector into the printer's power connector..
b. Plug the data cable connector into the printer's interface connector.
C. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive

3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.
OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.
OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.
You can find more information of us at: www.ocominc.com,
Together we quest for the best.

Monica Fu

# OCOM Technologies Limited

**Add**: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China
**Tel**: 0086.755.8605.3207 ext 801
**Fax**: 0086.755.8605.3207 ext 868
**Web**: www.ocominc.com
**E-mail**: sales01@ocominc.com, sales01@ocomtech.com.cn
**Skype**: ocomsales01; **MSN**: ocomsales01@hotmail.com
**Ali TM**: cn1001868228; **QQ**: 1483705401
**Mobile/Wechat/Whatsapp**: 0086.189 4871 3992

Reliable One-Stop Supplier for POS and Auto-ID Related Products