

عالية السرعة 80 ملليمتر بوس استلام الطابعة الحرارية مع E-P أوكب-80

E-P قطع التلقائي للمطعم (نموذج رقم: أوكب-80)

A.Features:

- ديسكتوب أو الحائط-- شنت نوع للخيار.
- رموز الطابعة d و 2 d يدعم الباركود متعددة 1.
- منفذ إيثرنت، فائقة نقل البيانات بسرعة عالية 100M.
- يدعم 256 كيلو بايت نف تخزين الشعار و 2 متر ذاكرة عازلة كبيرة.
- يدعم النظام تذكير وظيفة، متوافق مع أوبوس سائق.و الكشف عن علامة سوداء(اختياري).
- سوبورتس رصد حالة الطابعة ومكافحة-- فقدان وظيفة النظام.

المعلومات التقنية:

طريقة الطابعة:	الحرارية المباشرة
سرعة الطابعة:	الصورة 20/ 0mm
عرض لفة:	79.5 ± 0.5mm و
قطر الطابعة:	Φ80mm
سمك الورق:	0.06-0.08mm
سعة العمود:	النقاط / الخط 512/ 576dots
: تباعد الأسطر	(تعديل بواسطة الأوامر) 3.75mm
أمر الطابعة:	متوافق مع الأمر إيسك / بوس
نوع الواجهة:	LAN / المنفذ المتوازي IP المسلسل / P 36 يو اس بي +25
حياة □□□□:	مليون التخفيضات 1
رينت رئيس الحياة P:	كم 100
: المخزن المؤقت الإدخال	2048Kbytes
نف فلاش:	256Kbytes
محول كهرباء:	AC110V / 240V,50 ~ 60HZ
مزود الطاقة:	24 دس V / 2.5A
:إمدادات درج النقود	24 دس V / 1A
بيئة العمل:	(درجة الحرارة (0~45) الرطوبة (10~80%) (لا-□□□□)
بيئة العمل:	درجة الحرارة (0-45) درجة مئوية، الرطوبة (10-80%) (لا-□□□□)
بيئة التخزين:	Humidity (10~90%). °C. Humidity (10~90%)
حجم الحرف:	mm فونت: 1.1 * 2.1 / mm فونت: 1.5 * 3.0 ANK
الباركود:	UPC-A / UPC-E / JA(EAN13)/ JAN8(EAN8 / CODE39 / ITF / CODE93 / CODE128/رمز الاستجابة السريعة/ PDF417 (□□□□□□□□)
الشخصيات:	متعدد(PC850، أوروبا القياسية)، كاتاكانا(PC347 الكندية) PC863، (البرتغالية) PC860، (اللغات الشمالية)، غرب أوروبا، الإغريقي، اللغة العبرية، شرق) PC865، (الفرنسية PC852(Latin2)، (السيريلية # 2) PC866، أوروبا، إيران PC858، IranII، PT151(1251)، اللاتفية، عربي، PC858،
الخصائص البدنية:	حجم المظهر: 190 × 145 × 143م (الطول * العرض * الارتفاع) 1.25 KG. وزن:

C.Pictures:



80mm Thermal Printer with Auto Cutter

OCPP-80E



Product Picture



Features:

Reliable with good price



Supports black mark detection and order reminding function, compatible with OPOS driver;



Supports multi 1D barcodes and 2D codes printing;



100M Ethernet port, ultra high speed data transmission;

Supports 256KB NV Logo storage and 2M big buffer memory;



Desktop or wall-mounted type for option;



Supports printing status monitor and anti-losing order function.





Restaurant



Supermarket



Pharmacy



Warehouse



Clothing store



Bookstore

Parameter

Printing method:	Direct thermal
Printing speed:	230mm/s、260mm/s
Roll width:	79.5±0.5mm
Print diameter:	Φ80mm
Paper thickness:	0.06-0.08mm
Column capacity:	576dots/line , 512dots/line
Line's pacing :	3.75mm (Adjustable by commands)
Print command:	Compatible with the ESC/POS command
Interface type:	Serial+USB+Lan/36P parallel port/25P serial +USB/LAN
cutters life:	1million cuts
Print head life:	100 km
Input buffer :	2048Kbytes
NV Flash:	256Kbytes
Power adaptor:	AC110V/240V、50~60Hz
Power supply:	DC 24V/2.5A
Cash drawer supply:	DC 24V/1A
Work environment:	Temperature(0 ~ 45) humidity(10 ~ 80%) (Non- condense)
Work environment:	Temperature(0-45) degree centigrade, humidity(10-80%) Non- condense
Storage environment:	Temperature(-10 ~ 60℃); Humidity(10 ~ 90%)
Character size:	ANK, FontA:1.5*3.0mm/ FontB: 1.1*2.1mm
Barcode:	UPC-A/UPC-E/JA (EAN13) /JAN8 (EAN8/CODE39/ITF /CODE93/CODE128 QRCode
Characters:	PC347 (Standard Europe)、Katakana、PC850 (Multilingual)、 PC860 (Portuguese)、PC863 (Canadian-French)、PC865 (Nordic)、West Europe、Greek、Hebrew、East Europe、 Iran、WPC1252、PC866 (Cyrillic#2)、PC852 (Latin2)、 PC858、IranII、Latvian、Arabic、PT151 (1251)
Physical characteristics:	Weight: 1.25Kg; Appearance size: 190×145×143mm (length * width * height)

Supported Languages:

Afrikaans	Arabic (Tunisia)	English (British)	French (Switzerland)	Latvian	Spanish (Costa Rica)
Albanian	Arabic (Yemen)	English (Canada)	German (Austria)	Lithuanian	Spanish (Dominican)
Arabic (Algeria)	Basque	English (Caribbean)	German (Liechtenstein)	Macedonian	Spanish (Ecuador)
Arabic (Bahrain)	Belarus	English (Irish)	German (Luxembourg)	Polish	Spanish (Guatemala)
Arabic (Egypt)	Bulgarian	English (Jamaica)	German (Standard)	Portuguese (Brazil)	Spanish (Mexico)
Arabic (Iran)	Catalan	English (New Zealand)	German (Switzerland)	Portuguese (Portugal)	Spanish (Panama)
Arabic (Jordan)	Chinese (Singapore)	English (South Africa)	Greek	Romanian	Spanish (Paraguay)
Arabic (Kuwait)	Chinese (Hongkong)	English (US)	Hebrew	Russian	Spanish (Peru)
Arabic (Lebanon)	Chinese (PRC)	Estonian	Hun	Serbian	Spanish (Uruguay)
Arabic (Libya)	Chinese (Taiwan)	Faroese	Icelandic	Slovak	Spanish (Venezuela)
Arabic (Morocco)	Croatian	Farsi	Indonesian	Slovenian	Thai Language
Arabic (Oman)	Czech	Finnish	Italian (Switzerland)	Swedish	Turkish
Arabic (Qatar)	Danish and Norwegian	French (Belgium)	Italian	Spanish (Argentina)	Ukrainian
Arabic (Saudi Arabia)	Dutch (Belgium)	French (Canada)	Japanese	Spanish (Bolivia)	Urdu
Arabic (Syria)	Dutch (standard)	French (Luxembourg)	Korean	Spanish (Chile)	Vietnamese
Arabic (UAE)	English (Australia)	French (Standard)	Vietnamese	Spanish (Colombia)	

Power plug for option:



How to use?

Connecting the printer:

- ▶ The power adapter cable connect to the printer power interface
- ▶ The interface cable connect on the printer port behind
- ▶ The cash drawer connecting cable connect to the printer's behind the cash drawer interface



Installation of paper roll:



- Open the printer cover.
- Install the roller in the roll paper, and put them into the printer.
- Pull out some paper outside the printer and then close the printer cover.
- Close the top cover. Press the printer cover to avoid error position of roll paper.
- Tear-off the paper correctly.

Setting the Printing Mode(DIP switches):

The DIP switches are used to set the printer to perform various functions, such as cutter mode, character set, speed, beeper, print density and etc.



Power indicator:
Turn on/off the printer

Alarm indicator:
When the printer is out of paper, the cutter error occurs or printer head overheats, the ALARM indicator flashes.

Paper indicator:
Both of paper indicator and error indicator are on, means paper end-user, both of paper indicator and error indicator are off, means have paper.

FEED button:
Press to feed paper manually.

Clean of printer:

When the printer has the following conditions should clean the print head:

- ❑ The printer does not clear
- ❑ The page frame lengthways of printer has some not clean
- ❑ Paper feed with a large noise

Printer cleaning steps as follows:

- ✓ Shut off the power of printer, Open the Top Cover; If there is paper, please wipe off the paper;
- ✓ If it just finished a printing, please wait for a while until the print head cooling;
- ✓ With a soft cotton cloth dipped in ethanol (to be wrung) erase the thermal printer head thermal surface dust, stains;
- ✓ As the anhydrous ethanol evaporate completely, closed the top cover, and restart to print.

Production Process

No.	Production Process	No.	Production Process	No.	Production Process
1	 Inspection 1	2	 Soldering	3	 Assembling 1
4	 Assembling 2	5	 Function Test	6	 Ageing Test
7	 Inspection 2	8	 Packing 1	9	 Packing 2

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours ageing test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:



Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Double wall corrugated board



Double outer cartons

Marks and fragile stickers

Outer protective film



Payment:



secure payment



Aliexpress

PayPal

Trade Assurance

Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



Why you choose us?



Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: www.ocominc.com www.possolution.com.cn;

E-mail: ocom@ocominc.com, info@possolution.com.cn ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;



D.FAQ:

1. الضمان

وتكرس أوكوم لتوفير معظم المنتجات والخدمات فعالة من حيث التكلفة مع أعلى جودة من شأنها أن تلبي لدينا الضمان من المنتجات حوالي 12 شهرا من شحنة عادة، وبعض النماذج المعينة يمكن أن يكون customers'satisfaction، طالما 24 شهرا الضمان. ل النظام الشامل، يمكننا تزويد لكم بعض الغيار ل إصلاح المحلية. وبعد ذلك، يمكنك إرجاع أجزاء الفشل لإعادة التشغيل.

2. شروط الدفع

لك، ويسترن يونيون، الضمان أو غيرها. حول عيinat النظام، / تي تي، ويسترن t / t ل النظام الشامل، يمكنك دفع لنا باستخدام حاليا، يمكنك الدفع باستخدام مونيوكيرز، فيزا، alipay.com، يونيون، الضمان، باي بال مقبولة. هو مدعوم من قبل خدمة الضمان B ماستركارد والتحويل المصرفي. يمكنك أيضا دفع مع بطاقات الخصم بما في ذلك مايسترو، منفردا، كارت بلو، بوستيباي، كارتاسي، 4 و Euro6000.

3. شحنة

نحن نقبل جميع أنواع طرق الشحن بما في ذلك: أعرب، الهواء، البحر، سيارة، أو تلتقط من قبل العملاء شخصا.

4. عينة التوفر & أمب؛ سياسات

بعد تأكيد العملاء لدينا مواصفات، نحن سعداء جدا لتقديم عينات للاختبار والتأهيل. وينبغي أن تدفع جميع العينات قبل شipment، وعينات الأسعار هو أعلى قليلا من النظام الشامل. عندما وضع النظام الشامل، يمكننا العودة لك عينات التكلفة، أو نرسل لك المزيد من ايون الغربية، أو باي بال. ويمكنك أيضا شرائه على متجر على t / t، المنتجات مع شipment. يمكنك شراء عينات منا مباشرة باستخدام هناك حاجة إلى عينة http://www.aliexpress.com/store/403448?tracelog=minisite_CI :شبكة الإنترنت في أليكسبريس من أجل قبل أن يطلق سراح لدينا عامل

5. بعد البيع:

غوارانتيد بواسطة بابا، والتي يمكن بروكت أموالك جيدا لضمان المهلة و usd12000 * لدينا أعلى 1٪ ضمان التجارة مستوى تصل جودة المنتجات. (1) جميع المنتجات الضمان ليست أقل من سنة واحدة، بعض النماذج حتى تصل إلى سنتين الضمان. (2) وسيتم توفير قطع الغيار للأوامر الجماعية للصيانة المحلية للعملاء. (3) لديها الموزعين أو الوكلاء المعتمدين في السوق الرئيسي الذين يمكن توفير خدمات إصلاح واستبدال المحلية. (4) إدارة علاقات العملاء المهنية يضمن سريع الاستفسارات و أوامر تتبع العملاء. (5) المبيعات مع العديد من سنوات الخبرة في التجارة الخارجية، يتقن اللغات الأجنبية وإحساس قوي بالمسؤولية. (6) 7 * 24 ساعة الانترنت، أيام عمل الرد خلال أربع ساعات، أيام الراحة خلال 12 ساعة. 6. تحميل

تحميل برامج التشغيل، سك البرمجيات، مواصفات http://www.possolution.com.cn/cn/download.html يمكنك الوصول إلى المنتج وأدلة المستخدم. 7. دليل الفيديو

لمساعدة العملاء على استخدام منتجاتنا بشكل أفضل، قمنا بتسجيل وتحميل بعض التوجيه الفيديو، يمكنك العثور عليها في http://www.possolution.com.cn/video.html. 8. موك السياسة

لا موك الحد للمنتجات القياسية، ولكن سعر الوحدة هو مختلف. لإنتاج مخصصة، يمكنك مناقشة موك مع مندوب المبيعات لدينا. عرض أسعار9. طلب

http://www.possolution.com.cn/inquiry.html طلب عرض أسعار على E.

شركة:أوكوم هي الرائدة وقفة واحدة بوس والسيارات إد المنتجات ذات الصلة المورد الذي تأهل من قبل شركة فورتن العالمية 500. لدينا أعلى مستوى 1 ضمان تجارة ضمان

تغطي محفظة منتجات أوكوم طابعة حرارية، طابعة الباركود، طابعة مصفوفة نقطة، ماسح الباركود، جامع البيانات، آلة نقاط البيع وغيرها من المنتجات نقاط البيع الطرفية، والتي تستخدم على نطاق واسع لتجارة التجزئة والمطاعم والبنوك واليانشيب والنقل والخدمات اللوجستية، وغيرها من التطبيقات. لدينا سي، فك وغيرها من الشهادات المطلوبة.

ونحن نركز على جودة المنتجات. 2008: iso9001 منذ أنشئت في يونيو 2007، أوكوم تم التمسك نظام الجودة الموثوقة وبأسعار تنافسية. كنا نخدم أكثر من 1300 عميل أكثر من 133 بلدا، 40 منهم هم أكبر الموزعين في أراضيهم. أسواقنا الرئيسية هي في أوروبا، استراليا، وسريعة النمو أمريكا الجنوبية وأفريقيا. وتشمل قائمة العملاء إيكوم ... ، O2، الشهيرة يونيليفر

مهمة أوكوم هو أن يكون خيارا مقنعا لشركائنا، على أساس لدينا ثلاثة المعتقدات الأساسية "النزاهة القائمة، نسعى

جاهدين للتميز، التعاون المريح للجانبين"، نود إقامة شراكات مستقرة وموثوق بها مع العملاء في جميع أنحاء العالم.
أوم / أودم هو موضع ترحيب.

معا نحن السعي للحصول على أفضل.

F.Contact:

الاتصال: هارولد هو جين تاو

أوكوم تكنولوجيا المحدودة

بلوك 10، تشونغتشينغ حديقة صناعية، تشوانغي الطريق، منطقة نانشان، f، / عنوان: 4

شنتشن 518054، الصين؛

الموقع الإلكتروني : www.ocominc.com, www.possolution.com.cn؛

E-ميل: sales14@ocominc.com؛

سكايب: sales14@ocominc.com

مسن: ocomsales14@hotmail.com؛

واتساب: 0086.18948789890

ويشات: 0086.18948789890

موبيل: 0086.18948789890

ق: 1467261417؛

هاتف: 814-0086.755.86053207

فاكس: 868-0086.755.86053207