## 

(M / N: OCPP -80F)

## × 0000:

- 2.2048 K
- $3.1\ \Box\Box\BoxD\ \Box\ 2D\ \Box\Box\Box\Box\Box\Box\Box\ \Box\Box\Box\Box\Box\Box$
- $4.\ 0000000\ 000000\ 00000\ 00000\ 00000\ 00000$

## 

	0000000		
000000 00000	00000 00		
0000000 000	72mm []		
00000	576 000000 00 0000 203 0 00 / 0000 80 00 / 0000 512 00 00 / 0000		
000000 0000	300MM / 000000		
00000 000	100) [[[[[[]]]]]]]M) + USB + COM[] USB + COM		
000000 00000	3.75mm () 00000 000 00000 0000 000 00000		
0000 000	0000 FontA-48Lines / FontB-64Lines / 000000 24- 0000 0000 0000		
000	00000 GB18030 00000000 0000000 / 00000		
00000 000	□□□ ANK □ □□□□ A: 1.5 × 3.0mm □12 × 24 □□□□□		
	FontB: 1.1 × 2.1mm [9 × 17 × 3.0 : 0000000 00000000 / 0000000 00000 3.0mm (24 × 24 00000		
	PC437 / [][][][][] / PC850 / PC860 / PC863 / PC865 / WestEurope /		
	DODDDD / DDDDDDDD /	0000000	1 [][][][][][][][][][][][][][][][][][][]
	EastEurope / 00000 / WPC1252 / PC866 / PC852 / PC858 / IranII / / 00000		CODABAR / CODE93 / CODE128
	PT151   1251 / PC737 / WPC / 1257 / ThaiVietnam / PC864 / PC1001 /		OODIMINA, OODESS, OODESS
	([][][][][][][][][][][][][][][][][][][]		000000 00000 0000000 0 QRCODE
	(PT151 <sub>0</sub> 1251) / (WPC1257) / (PC864) / (0000000000) / (000000)		
0000000 00000	0000000 000000 00000 00000		
000000 00000	00000 00000		
0000	00000		
	79.5 ± 0.5mm [		
0000000 000	≤80mm		
00000 00000	0000) 0000 0000 Clameshell)		
0000000	ESC / POS		
00000 0000	□□□□□□□□: AC 110V / 220V □ 50 ~ 60HZ		
	DDDDDD: DC 24V / 2.5A		
	DC 24V / 1A		
	2048K [][][]		
NV [][][	256 0000 0000		
000	1.2KG		
00000	186 * 145 * 135		
	80 ~ 10 :000000 0 00000 45 ~ 5 :0000000 0000 0		
	90 ~ 10 :000000 0 0000 50 ~ 10- :000000 0000 0 (Nodew)		
	100KM (000000 00000 LE.12.5)		
000000 000	1000[]000times		
0000	0000000 IOS0 000000 00000 00000 Win20000 WIN20030 000 0000 00000 0 Win70 0 Win80 Win8.1		