

80 mm 80mm OCPP-80G

(OCPP-80G)



Features:

1. Supports 100mm receipt paper.
- 2.Supports 100mm receipt paper.
- 3.100M resolution printing.
- 4.Supports 256KB NV 2 memory.
5. Supports receipt printing for POS.
- 6.Supports receipt printing.

Specifications:

Model:	OCPP-80G
Receipt Size:	230mm / s x 260mm / s
Receipt Width:	79.5 ± 0.5mm
Receipt Diameter:	Φ80mm
Receipt Thickness:	0.06-0.08mm
Resolution:	576dots / line 512 dots / line
Print Speed:	3.75mm / s
Print Language:	ESC / POS
Connectivity:	Serial + USB + Lan / 36P 25 / P serial + USB / LAN
Memory:	1 MB
Capacity:	100 sheets
Memory:	2048Kbytes
NV Memory:	256Kbytes
Power Input:	AC110V / 240V 50 ~ 60HZ
Power Output:	DC 24V / 2.5A

電源電圧 電流 消費電力:	DC 24V / 1A
本体寸法:	幅80mm (高さ10mm) 長さ45mm (厚さ0mm) 重量約10g
動作温度:	5℃ (約80-100℃) 動作湿度 約45-90% (湿度0-100% 対応)
動作湿度:	90% ~ 10% 動作湿度 約(℃60 ~ 10-) 動作湿度 約(湿度)
本体寸法:	ANK 寸 FontA: 1.5 * 3.0mm / FontB 寸 1.1 * 2.1mm
対応規格:	UPC-A / UPC-E / JA (EAN13) / JAN8 (EAN8 / CODE39 / ITF / CODE93 / CODE128 / QRCode / PDF417 (対応))
対応文字:	PC347 寸 Standard Europe 寸 Katakana 寸 PC850 寸 Multilingual 寸 PC860 寸 PC863 寸 PC865 寸 PC866 寸 # 寸 PC852 (Latin2) 寸 PC858 寸 IranII 寸 PT151 (1251)
本体寸法:	143 x 145 x 190 :幅80mm 高さ10mm 長さ45mm 重量約10g (幅80mm * 高さ10mm * 長さ45mm)



OCPP-80G





OCPP-80G







قابس الطاقة للخيار



منطقة التطبيق

