

OCPP -80S 80

(OCPP -88S)

OCPP -88S:

.OCPP -88S OCPP -88S
1 OCPP -88S
200 OCPP -88S / s
256 OCPP -88S KB NV 2 OCPP -88S M.

OCPP -88S:

OCPP -88S :OCPP -88S
200 :OCPP -88S / s
0.5 ± 79.5 :OCPP -88S
OCPP -88S : Φ80mm
OCPP -88S 0.08-0.06 :OCPP -88S
OCPP -88S 5212 / OCPP -88S 576 :OCPP -88S
3.75 :OCPP -88S ((OCPP -88S OCPP -88S OCPP -88S
OCPP -88S :OCPP -88S ESC / POS
OCPP -88S : USB + LAN ((OCPP -88S
1 :OCPP -88Smillion OCPP -88S
OCPP -88S 100 :OCPP -88S
2048 :OCPP -88S Kbytes
NV OCPP -88S 256 :OCPP -88S
OCPP -88S : AC110V / 240V 50 ~ 60Hz
OCPP -88S : DC 24V / 2.5A
OCPP -88S : DC 24V / 1A
(OCPP -88S (80 10) OCPP -88S (45 0) OCPP -88S :OCPP -88S
OCPP -88S (80-10) OCPP -88S (45-0) OCPP -88S :OCPP -88S
(90 ~ 10) OCPP -88S (°C 60 10-) OCPP -88S :OCPP -88S
OCPP -88S : ANK FontA: 1.5 * 3.0mm / FontB 1.1 * 2.1mm
OCPP -88S : UPC-A / UPC-E / JA (EAN13) / JAN8 (EAN8 / CODE39 / ITF
/ CODE93 / CODE128
OCPP -88S : PC347 (Standard Europe) Katakana PC850 (Multilingual) PC860 (OCPP -88S) PC863
(Canadian-French) PC865 (Nordic) West Europe Greek Hebrew East Europe Iran WPC1252
PC866 (Cyrillic # 2) PC852 (Latin2)
PC858 IranII OCPP -88S PT151 (1251)
OCPP -88S 1.25 :OCPP -88S

OCPP -88S:





OCPP-80S





OCPP-80S



□□□□:

□□ □□□□□□

OCOM □□□□□□□□ □□□□□□□□

□□□□□ □ □□□□□□ □□□□□ □ □□ □□□□□ □□□□□□□□□□ □□□□□ □ 10 □□□□ □ □□□ / 4 :□□□□□□□□
.□□□□□ □ 518054

□□□□□ □□□□: www.ocominc.com □ www.pos-solution.com.cn □

□□□□□□□□□□ □□□□□□: sales14@ocominc.com □

□□□□□: sales14@ocominc.com

MSN: ocomsales14@hotmail.com □

Whatsapp: 86.18948789890 □

Wechat: 18948789890 (ocom sales14) □

□ 86.18948789890 :□□□□□□□

□ 1467261417 :□ □

Tel: 0086.755.86053207-814
868-0086.755.86053207 :.