2 58 00 0000mm 0000000 000000 000000 00000

(_____ ___ ___ CPP - M07)



000000 0000 Windows Java Linux Android 000000 000 IOS 0000000

 $\hfill\square\hfill\square$ Bluetooth $\hfill\square$ USB $\hfill\square$ RS232

SDK [[[[]]] Android[[] IOS [] WIN CE [[[]]]

57 * 50 00000 000000

esc / POS DODDDD DDDDD

00000:

	$(W \times D \times H)$	105 × 75 × 45 []		
		134g.		
00000				
		ESC / POS 000000 000000 00000		
		48mm		
		00000 / 0000000 90 000 000 00		
0000		8 203) [] / [[[[DPI]		
0000 00000		12x24 / 24x24.		
		32 16 /columns		
		1.5 × 3.0 □□ (W X H) / 3.0x3.0mm (WXH)		
		58.0 ± 0.1mm x 50.0 [[[[]]]mm		
		0.06 0.08 [[[]mm		
		00000 0000000 / 00000000		
		USB[] RS-232[] [][[][[][][][][][][][][][][][][][][]		
		256 000 000		
		9V DC / 2A		
0000000 0000		7.4V DC / 1500MAH00000 00000 5-4 0000 0000 00 0000 0000000 0		
0000 00000				
		90 ~ 010 :000000 00000 50 ~ 10- :000000 0000		
		70 ~ 20- : [] DEGC 95 ~ [5 :] [] [] DEGC 95 ~ [6 :]		
		0000 00 000000 00000 0 000 0000000 0000 Max 30 ASCII.		
0000 0000				
		DOCTOR DO CONTROL DO DOCTOR DO DOCTOR DO DOCTOR		
		3.5 * 1.1mm		
	OCPP -M07-BB	Android $USB + COM + Bluetooth =$		
	OCPP -M07-BB-AI	And roid + iOS[] USB + COM + Blue tooth[] [][][][][][].		
	OCPP -M07-B	Android USB + COM + Bluetooth DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		
	OCPP -M07-U			
	OCPP -M07-BB-AA	Android + IOS[] USB + COM + Bluetooth[] [][][] 7 [][][][] Apple +1 [][][][][][]		





OCPP-M07







OCPP-M07















