

□□□□	a: 12 * 24 1.5 □ □□□ (w) * 3.0 (h) □ □ B: 9 * 17 1.1 □ □□□ (W) * 2.1 (H) □ □ 3.0 □ □□□ 24 * 24 :□□□□□□□□ / □□□□□□ (W) * 3.0 (H) □ □	
□□□□□□□ □□	JUPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODABAR / ITF / CODE39 / CODE93 / CODE128 □ □□□□□ □□□□□□□ □□	
□□□□□□ □□□	250 □□□□□ □□□□ □□□□ / □□ 300 □ □□□□□ □□□□ □□□□□ □□□□ / □□	
□□□□□□□ □□□□	USB □ USB + □□□□□□ + LAN □ □□□ □□□ + USB □ □□□□□ + USB	
□□□□□□ □□□□	□□□□□ □□ □□□□□ EPS / ESC / POS	
□□□□□□□□	□□□□ Win9X / Window XP / Win2000 / Win2003 / Win Vista / Win 7 / Win 8 / win8.1 / Linux □ □□ □□□□□ ESPON □ SDK □□□□□ Android □ IOS.	
□□□□□ □□□	79.5 ± 0.5 □□ 72 □□□□□□□ □□□) □□	
□□□□□ □□□	83mm	
□□□□□ □□□□□	0.06-0.08mm	
□□□□□	□□□□□□□) □□□□□□ □□□□	
□□□□□□□ □□□□□□	100KM	
□□□	DC24V / 2.5A	
□□□□□□□ □□□□	0-45 □□□□□ □□□□	
□□□□□□□ □□□□□□	10-80□	
□□□□□□□ □□□□□	190 * 145 * 145 (□□)	
□□□	1.60kg	
□□□□□□□ □□□□□□	P / N	□□□
	OCPP -88A-U	□□□□ USB □ □□□□□□□ □□□ □□
	OCPP -88A-URL	□□□□ USB + Serial + Lan □ □□□□□ □□□□ □□
	OCPP -88A-W	□□□ □□□ □□□□ + USB □ □□□□□□□ □□□ □□
	OCPP -88A-BU	□□□□□□ + USB □ □□□□□□□ □□□□□ □□
	OCPP -88A-U0	□□□□ USB □ □□□□□□□ □□□□□ □□□
	OCPP -88A-URL0	□□□□ USB + Serial + Lan □ □□□□□ □□□□ □□□□
	OCPP -88A-W0	□□□ □□□ □□□□ + USB □ □□□□□□□ □□□□□ □□□
	OCPP -88A-BU0	□□□□□□ + USB □ □□□□□□□ □□□□□ □□□

□□□□□□□ □□□□□□:



□□□□□□ □□□□□□ □□□□:



80 □□□□□□ □□□□□□ :□□□□□mm□ □□□ □□□□□ QR□ 80 □□□□□□ □□□□□mm□ □□□□□ wifi 80mm□.



OCPP-88A





OCP-88A





OCP-88A





3. □□□□□□

