

POS

(Model: Z90)

Features:

- Android 4.4 5.1
- 5.0
- 3600
- 58mm
- 5
- 2 (3G / 4G (Optional))
- IC Card
- EMV L1 L2 and PBOC
- thecradle

Specifications:

applicchain

Specifications:

Specifications	
OS	Android 4.4 5.1
RAM	RAM: 1GB
Storage	8 GB
Screen	5.0
Camera	
Battery	3.7 3600
OS Version	4.0
Screen Size	5
Positioning	GPS AGPS WLAN Positioning
Thickness	58mm 30 mm
Port	USB
POS Specifications	
Payment Methods	ISO1788 / 7812 AAMVA
Payment Standard	ISO7816

<p>ISO / IEC 14443 A & B Mifare felica EMV / PBOC PAYPASS</p>	<p>ISO / IEC 14443 A & B Mifare felica EMV / PBOC PAYPASS</p>
<p>PSAM</p>	<p>PSAM</p>
<p>Unionpay EMV / PBOC3.0 L1 L2 EMV / qPBOC3.0 L1 L2 Unionpay salterterminals</p>	<p>Unionpay EMV / PBOC3.0 L1 L2 EMV / qPBOC3.0 L1 L2 Unionpay salterterminals</p>
<p>WLAN</p>	
<p>GSM WCDMA TD-SCDMA FDD-LTE TDD-LTE</p>	<p>GSM WCDMA TD-SCDMA FDD-LTE TDD-LTE</p>
<p>GSM850 / 900/1800/1900 WCDMA2100 / 1900/900/850 TD-SCDMA B34 / B39 FDD-LTE B1 / B2 / B3 / B4 / B5 / B7 / B8 / B20 TDD-LTE B38 / B39 / B40 / B41</p>	<p>GSM850 / 900/1800/1900 WCDMA2100 / 1900/900/850 TD-SCDMA B34 / B39 FDD-LTE B1 / B2 / B3 / B4 / B5 / B7 / B8 / B20 TDD-LTE B38 / B39 / B40 / B41</p>
<p>IEEE802.11.b / g / n</p>	<p>IEEE802.11.b / g / n</p>
<p>191mm × 80MM × 46MM</p>	<p>191mm × 80MM × 46MM</p>
<p>650G</p>	<p>650G</p>
<p>-20 ~ 60</p>	<p>-20 ~ 60</p>
<p>-40 ~ 80</p>	<p>-40 ~ 80</p>
<p>10 ~ 90 RH</p>	<p>10 ~ 90 RH</p>



POS-Z90



www.ocominc.com





POS-Z90



www.ocominc.com

