

ليزر ماسح الباركود USB 2D سوبر ماركت مصغرة

(نموذج: OCBS-2008)

تقنية تصوير عالية الأداء
المسح الضوئي متعدد الاتجاهات ، سهل المسح ؛
يمكن قراءة الباركود على الشاشة ولون الباركود الملون ؛
دقة المسح ممتازة ؛ 4mil
متعدد الوظائف الخاصة الإعداد المدعومة ؛
واجهات متعددة اختيارية.
الوقوف للخيار.

Performance Characteristics

وظيفة		
مصدر ضوء	الصمام الأبيض	
زمارة	أيد	
يفهم	اختياري	
مؤشر	الصمام الأخضر ، صغير	
مسح الأداء		
المستشعر	CMOS	
القرار	مستويات الرمادي 640 * 480,256	
أقصى سرعة فك	13mil UPC 40cm / s	
زاوية القراءة	أفقيا 50 درجة ؛ عمودي 20 درجة	
الاحكام	≥4mil	
القدرة على فك التشفير	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 5 من (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC / EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI / Plessey
	2D	PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec Code, GS1 Composite
عمق الميدان	5) 39 (mil) رمز 50mm ~ 120mm 10) 39 (mil) رمز 25mm ~ 250mm UPC / EAN (13mil) 20mm ~ 320mm 63 (ميل) مصفوفة البيانات (7.5 ميل) ~ 150mm PDF417 (6.6mil): 62mm 145 ~MM	
حساسية	الميل ± 0 ° 45 درجة 0 درجة و 0 درجة انحراف دوران ± 0 ° 30 درجة 0 درجة و 0 درجة انحراف انحراف ± 0 ° 45 درجة 0 درجة و 0 درجة انحراف	
الكهرباء		
جهة تعامل	USB ، USB COM (منفذ تسلسلي افتراضي)	
مساهمة الجهد	3.3v ~ 5v DC	
القوة القياسية	2.0w (400mA)	
ماكس السلطة	2.5w (450mA)	
محول DC	الحد الأقصى 5.5 فولت 1 أمبير	
كلاس LED	الدرجة الأولى	
اختبار EMC	FCC part15, IEC60825-1, EN55022 Class B	
بيئة المستخدم		
تعمل درجة الحرارة	-20 (درجة مئوية ~ +60 درجة مئوية (-4 درجة فهرنهايت إلى 144 درجة فهرنهايت)	
درجة حرارة التخزين	-30 (درجة مئوية ~ +70 درجة مئوية (-22 درجة فهرنهايت إلى 158 درجة فهرنهايت)	
رطوبة	5% - 95% (بدون تكثيف)	
انخفاض المقاومة:	1.5 متر (5.0 قدم) يسقط إلى الخرسانة	
IP فئة	IP54	
شدة الضوء	العمل: أضواء الشمس ، أضواء الفلورسنت	
جسدي - بدني		
الأبعاد	156 * 68 * 83mm	
وزن	(جم بدون حامل) 195	
البعد الحزمة	48 * 36 * 47CM (20pcs موقوف 13.5 KG)	
	48 * 39 * 52 15 (30 قطعة بدون حامل) KG اسم	



Handheld Image Scanner for 1D/2D Barcode

OCBS-2008



Product Picture




Features

Reliable with good price

▼ High performance imaging technology;
Omni-directional scanning, easy to scan;



▼ 4mil excellent scanning accuracy ;
Can read the barcode on the screen
and color barcode;



Multi special function setting supported;
SDK/API Available;



Multi interfaces optional;
Stand for option.



Application place



Bookstore



Supermakte



Pharmacy



Warehouse



Clothing store



Restaurant

Parameter

Function		
Light source	White LED	
Beep	Supported	
Stand	Optional	
Indicator	Green LED, beep	
Scan performance		
Sensor	CMOS	
Resolution	640*480,256 gray levels	
Maximum decoding speed	13mil UPC 40cm/s	
Reading angle	horizontally 50 deg; vertically 20 Deg	
Precision	≥4mil	
Decode capability	1D	UPC-A, UPC-E, UPC-E1, EAN-13, EAN-8, ISBN (Bookland EAN), ISSN, Code 39, Code 39 full ASCII, Code 32, Trioptic Code 39, Interleaved 2 of 5, Industrial 2 of 5 (Discrete 2 of 5), Matrix 2 of 5, Codabar (NW7), Code 128, UCC/EAN 128 (GS1-128), ISBT 128, Code93, Code 11 (USD-8), MSI/Plessey
	2D	PDF417, MicroPDF417, QR Code, DataMatrix, Han Xin Code, Aztec Code, GS1 Composite
Depth of field	Code 39(5mil): 50mm~120mm Code 39(10mil): 25mm~250mm UPC/EAN (13mil): 20mm~320mm Data Matrix(7.5mil): 63mm~150mm PDF417(6.6mil): 62mm~145mm	
Sensitivity	Inclination ±45° @0°Roll and 0°Skew Rotation ±30° @0°Pitch and 0°Skew Deflection ±45° @0°Roll and 0°Skew	
Electrical		
Interface	USB,USB COM(virtual serial port)	
Input Voltage	3.3v~5v DC	
Standard Power	2.0w (400mA)	
Max Power	2.5w (450mA)	
DC adapter	Max 5.5V 1A	
LED CLASS	Class I	
EMC Test	FCC part15,IEC60825-1,EN55022 Class B	
User Environment		
Operate Temperature	-20 deg C ~ +60 deg C (-4 Deg F to 144 deg F)	
Storage Temperature	-30 deg C ~ +70 Deg C (-22 Deg F to 158 deg F)	
Humidity	5% - 95%(non- condensation)	
Drop resistance:	1.5m (5.0ft) drops to concrete	
IP class	IP54	
Light intensity	Working: sun lights, fluorescent lights	
Physical		
Dimensions	156*68*83mm	
Weight	195 g (without stand)	
Package dimension	48*36*47CM (20pcs with stand 13.5KG)	
	48*39*52CM (30pcs without stand 15KG)	

Production Capacity:

✓ Indicates information has been verified onsite by a certification specialist

Production Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Verified by TUV on 2013.7.15

Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

Test Equipment and Facilities

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Verified by TUV on 2013.7.15

Certification:




Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

Packing and Shipment:



Payment:



secure payment



Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.



Company Profile



TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers , Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



التعليمات

1. الضمان

مكرسة لتقديم معظم المنتجات والخدمات ذات الجودة الأعلى من حيث الجودة والتي OCOM إن تلبية إرضاء العملاء ، وضماننا للمنتجات هو حوالي 12 شهرًا من الشحن بشكل طبيعي ، يمكن لبعض النماذج المعينة الحصول على ضمان لمدة 24 شهرًا. للطلب الشامل ، يمكننا تزويدك ببعض قطع الغيار للإصلاح المحلي. وبعد ذلك ، يمكنك إرجاع الأجزاء الفاشلة لإعادة العمل.

2. شروط الدفع

ويسترن يونيون ، الضمان أو غيرها. ، LC ، T / T ، للطلب الشامل ، يمكنك أن تدفع لنا باستخدام مقبولة. هو مدعوم من خدمة Paypal ، ويسترن يونيون ، الضمان ، T / T ، حول ترتيب العينات و Visa و Moneybookers حالياً ، يمكنك الدفع باستخدام Alipay.com. الضمان بواسطة والتحويل البنكي. يمكنك أيضًا الدفع باستخدام بطاقات الخصم المحددة بما في ذلك MasterCard و Euro6000 و B و CartaSi 4 و Pos tePay و Carte Bleue و Solo و Maestro.

3. الشحن

نحن نقبل جميع أنواع طرق الشحن بما في ذلك: صريحة ، الهواء ، البحر ، السيارة ، أو التقاط من قبل العملاء شخصياً.

4. توفر العينة و أمبير ؛ سياسات

بعد أن أكد العملاء مواصفائنا ، يسعدنا تقديم عينات للاختبار والتأهيل. يجب أن تدفع جميع العينات قبل شipment ، وسعر العينات أعلى بقليل من النظام الشامل. عند وضع النظام الشامل ، يمكننا إعادة تكلفه العينات ، أو نرسل لك المزيد من المنتجات مع شipment. يمكنك شراء العينات منا ويمكنك أيضا شراؤه على متجرنا على paypal. أو western union أو t / t مباشرة باستخدام aliexpress: الإنترنت في

هناك حاجة إلى ترتيب http://www.aliexpress.com/store/403448?tracelog=minisite_CI عينة قبل أن نصدر لعامل لدينا

5. بعد البيع:

من قبل علي بابا ، guaranteed USD12000 * لدينا أعلى ضمان مستوى التجارة 1 ٪ تصل إلى والتي يمكن أن تحافظ على أموالك بشكل جيد لضمان الجودة ونوعية المنتجات الرصاص. (1) جميع المنتجات الضمان لا تقل عن سنة واحدة ، بعض النماذج حتى تصل إلى سنتين الضمان. (2) سيتم توفير قطع الغيار للأوامر الجماعية للصيانة المحلية للعملاء. (3) يكون الموزعون أو الوكلاء المعتمدون في السوق الرئيسي الذين يمكنهم تقديم خدمات الإصلاح والاستبدال المحلية. (4) إدارة إدارة علاقات العملاء المهنية يؤمن الاستفسارات العملاء سريعة وتتبع الطلبات. (5) المبيعات مع العديد من سنوات الخبرة في التجارة الخارجية ، يتقن اللغات الأجنبية وشعور قوي بالمسؤولية. (6) 24 * 7 ساعة على الإنترنت ، أيام العمل الرد في غضون أربع ساعات ، أيام راحة في غضون 12 ساعة.

6. تنزيل

تنزيل برامج http://www.pos solution.com.cn/cn/download.html يمكنك الوصول إلى ومواصفات المنتج وكتيبات المستخدم. SDK التشغيل وبرامج

7. دليل الفيديو

لمساعدة العملاء على استخدام منتجاتنا بشكل أفضل ، قمنا بتسجيل بعض إرشادات الفيديو http://www.pos solution.com.cn/video.html وتحميلها ، ويمكنك العثور عليها على

8. سياسة موك

لا يوجد قيود على موك للمنتجات القياسية ، ولكن سعر الوحدة مختلف. للإنتاج حسب الطلب ، يمكنك مناقشة موك مع مندوب المبيعات لدينا.