

11.6吋 2GB RAM 8GB ROM 工業用 POS

M / N POS-M1106-A

規格

OS Android 7.1

Processor RK3368 1.5GHz

RAM 2GB eMMC 8GB

Display 11.6吋

Resolution 1366 * 768 1080P

Dimensions 58 / 80mm

Barcode VFD LCD MSR RFID 1 / 2D

規格

規格

規格

規格

規格

規格

Processor	RK3368 1.5GHz
OS	Android 7.1 / Android 6.0
RAM	2GB + 8GB ROM
SD	SD / TF 32GB
Display	11.6吋
Resolution	1366 * 768 / 1920 * 1080P
Dimensions	58mm / 80mm
Barcode	ISO7811 1/2/3
RFID	ISO14443 Type A
Barcode	1D / 2D
Display	LCD / VFD
WIFI	802.11b / g / n
USB	5 * USB2.0

RJ11	2 * RJ11
LAN	1 * RJ45 100/1000
RS232	1 * RS232
□□	DC12V 5A
□□	5200mAh
□□□□	□□□□□-10°C □50°C □□□□□-20°C □60°C □□□□□10□90□





POS-M1106-A





POS-M1106-A





POS-M1106-A





□□□□

OCOM 的 POS 终端 ID 号 5001

OCOM 的 POS 终端 DOT 号 POS 终端 POS 终端 ISO CE FCC BIS

2007 年 6 月 OCOM 的 ISO9001 2008 年 159 年 / 2300 年 50 年 02 Equicom ...

OCOM 的 “ ” OEM / ODM

□□□□□□□□

▶ Company



▶ Certificates



▶ Payment



□□□□□□□□

· POS□□□□□□□□□□□□□□□□□□

· □□□□□□500□□□□□□□□

· 1□□□□□□□□□□□□O2□Star ...

· □□163□□□/□□□2600□□□□□□

· □□□□□□□□□□□□24□□□□□□□□

· □□12□OEM / ODM□□□□□□□□□□

· □□□□□□□□□□□□□□□□

· □□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

· □□□□□□□□□□□□□□□□□□□□

· □□□□□□□□12 + 1□□□□□□□□□□□□

· □□“□□□□□□”

· □□“□□□□□□□□□□□□□□□□”□□□□□□



