

# 11.6 11.6寸Android POS终端

M / N POS-M1106-A

概述

Android 7.1

RK3368 1.5GHz

2G RAM 8G eMMC

11.6寸

1366 \* 768 1080P

58 / 80mm

VFD LCD MSR RFID 1 / 2D

规格

操作系统

处理器

内存

存储

接口

处理器	RK3368 1.5GHz
OS	Android 7.1 / Android 6.0
内存	2G + 8G ROM
SD	SD / TF 32GB
屏幕	11.6寸
分辨率	1366 * 768 / 1920 * 1080P
厚度	58mm / 80mm
条码	ISO7811 1/2/3
RFID	ISO14443 TypeA
指纹	1D / 2D
显示	LCD / VFD
WIFI	802.11b / g / n
USB	5 * USB2.0

RJ11	2 * RJ11
LAN	1 * RJ45 100/1000
RS232	1 * RS232 3 RS232 prot
	DC12V 5A
	5200mAh
	-10°C ~ 50°C -20°C ~ 60°C 10 ~ 90





# POS-M1106-A





POS-M1106-A





POS-M1106-A





□□□□

OCOM 的 POS 终端 ID 号 5001 系列

OCOM 的 POS 终端 DOT 号 POS 终端 ISO CE FCC BIS

2007 年 6 月 OCOM 通过 ISO9001 2008 认证 159 页 / 2300 页 50 页 Equicom ...

OCOM 的 POS 终端 “ ” OEM / ODM

□□□□□□□□

## ▶ Company



## ▶ Certificates



## ▶ Payment





□□□□□□□□

· POS□□□□□□□□□□□□□□□□□□

· □□□□□□500□□□□□□□□

· 1□□□□□□□□□□□□O2□Star ...

· □□163□□□□/□□□2600□□□□□□

· □□□□□□□□□□□□24□□□□□□□□

· □□12□OEM / ODM□□□□□□□□□□

· □□□□□□□□□□□□□□□□

· □□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

· □□□□□□□□□□□□□□□□□□□□

· □□□□□□□□12 + 1□□□□□□□□□□□□

· □□“□□□□□□□□”

· □□“□□□□□□□□□□□□□□□□□□□□”□□□□□□



