

# 12" LED

## TM1202

### 特長

- 薄型設計
- 省電力
- 長寿命
- LEDバックライトLED AV対応LED
- 軽量

### 仕様

画面サイズ	12.1" (対角)
解像度	500×0100
輝度	約400cd / m <sup>2</sup>
画面比率	800 * 600
パネルタイプ	16"
視野角	16.7M
刷新率	約30KHz～61KHz
駆動周波数	50～75Hz
対応規格	XGA 800 * 600
ピッチ	0.1025mm * 0.3075mm
動作温度	-65℃ + 65℃ (U / D); -50℃ + 60℃ (L / R)
消費電力	246.0x184.5mm
接続端子	RGB / AV / TV
入力端子	RGB 入力/出力
電源	100～240V 50/60Hz 3.5A
重量	≤20W (最大) 5W (最小)
保証	5年保証



TM1202





TM1202





TM1202





## ▶ Company



## ► Certificates



## ► Payment



## ► Contact us





Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopian

159 2200 O2 500 ..... 50

OCOM

- 500 POS
- O2 Star .....
- 2300 159;
- 11 OEM / ODM
- POS 1
- 
- ISO FCC CE Soncap POA BIS
- 12 + 1
- “ ”
- 

OCOM Technologies Ltd. TUV POS Auto-ID

OCOM POS POS POS POS POS ISO CE FCC

OCOM “ ” OEM / ODM

OCOM

- 10 4 518054;
- ocom inc.com www pos solution.com.cn;
- richard@ocominc.com richard@ocomtech.com .cn;
- sz ocom inc;
- Skype ocom inc2000;
- MSN ocomtech@hotmail.com;
- QQ 2485890637;
- hj34924238;
- WhatsApp 0086.133.52932860;
- 0086.133.52932860;
- 0086.755.86053207 808;
- 0086.755.86053207 868;

\* 500 POS \*

