

15 Windows Pos Pos

POS -8618L



□□

I Intel Celeron J1800 2.4 GHz

I SSD 32GB

I SSD HDD

I

I 1024 * 768

I / O

□□□□

I

I

I

I

□□

| | |
|------|------------|
| □□ | POS -8618L |
| □□□□ | □□ |

| | |
|-----------------------------|---------------------------------------|
| □□ | □□□□□□□□ |
| □□□□□ | Intel Celeron J1800□□□2.4GHz |
| □□□ | □□□NM70 |
| □□□□ | DDRIII 1066/1333 * 1 2GB□□□□ |
| □□ | SSD 32GB□□□□ |
| □□□□□□ | 15□□TFT LCD |
| □□ | 350cd /□ ² |
| □□□ | 1024 * 768□□□□ |
| □□□ | □□□□□□□□ |
| □□ | □□□□150;□□□140 |
| I / O□□ | 1 *□□□□12V DC□□□□* 1 |
| | □□* 1 DB9□□ |
| | □□□1 * DB25□□ |
| | VGA□15□D-sub□* 1 |
| | □□□□RJ-45 * 1 |
| | USB□2.0□* 4□USB□3.0□* 2 |
| | □□□□* 1 |
| | □□□□* 1 |
| PS / 2□□□□* 1□PS / 2□□□□* 1 | |
| □□□□ | 0°C□40°C |
| □□□□ | -20°C□60°C |
| □□□□ | Windows XP□□ |
| □□□□□ | 110-240V / 50-60HZ AC□□□□□DC12 / 5A□□ |



POS-8618L





POS-8618L





POS-8618L





POS-8618L





POS-8618L



▶ Company



▶ Certificates



▶ Payment



□□□□□□

·POS□□□□□□□□□□□□□□□□□□

·□□□□□□500□□□□□□□□

·1□□□□□□□□□□□□O2□Star ...

·□□163□□□□/□□□2600□□□□□□

·□□□□□□□□□□□24□□□□□□□□

·□□12□OEM / ODM□□□□□□□□□□

·□□□□□□□□□□□□□□□□

·□□ISO 9001□FCC□CE□Rohs□Soncap□SASO□POA□BIS□□□□□□□□□□

·□□□□□□□□□□□□□□□□□□□□

·□□□□□□□□12 + 1□□□□□□□□□□□□

·□□“□□□□□□”

·□□□□“□□□□□□□□□□□□□□□□□□□□□□”□□□□□□



□□□□

1.

2.

/ western unionpaypal

3.

OCOM
500100
12 + 124
30DOA DOA

4.

Paypal

5.