

# 15.6“POS

## POS -15T01-W / A

POS

POS

15.6” 1366 \* 768

360

Windows Android

POS

15.6” 11.6”

MSR

POS

POS

POS

POS

POS

POS

POS

POS	POS -15T01-W / A Windows W Android A
①	Windows 1.99 GHz J1900N
②	1.8GHz RK3288 Android
Windows	Windows 7 Ultimate
Android	Android 6.0
Windows RAM	2GB 4GB 8GB
Android RAM	2GB
Windows	32GB SSD 64GB 128GB
Android	8GB eMMC 32GB TF
POS	15.6”
POS	15.6” 11.6”
POS	VFD LCD
POS	1366 * 768
POS	POS

亮度	350cd / m <sup>2</sup>
尺寸	1500x1400
J1900 I / O	VGA * 1 USB * 5 RS232 * 1 DC * 1 RJ45 * 1 * 1
RK3288 I / O	USB * 5 RS232 * 2 DC * 1 RJ11 * 1 RJ45 * 1 * 1 MIC * 1
重量	4.0kg
功耗	20W
电源	110-240V / 50-60HZ DC12 / 5A



POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01







POS-15T01



