

15.6“POS

POS -15T01-W / A

□□□

□□□□□□□□

15.6□□1366 * 768□□□□□□□□;

360□□□□□□□□

□□Windows□Android□□□

□□□□□□□□

□□□□□15.6□□□11.6□□□□□□□□

MSR□□□□□□□□

□□□□□□□□□□□□□□□□□□

□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□

□□□

□□	POS -15T01-W / A□□□□Windows□W□□□□Android□A□
□□①	Windows□□□1.99 GHz J1900N
□□②	□□1.8GHz RK3288□□□Android□□
Windows□□□□	Windows 7 Ultimate□□□□□□□□
□□□□□□	Android 6.0
Windows RAM	2GB□□4GB 8GB□□
Android RAM	2GB
Windows□□□	□□32GB SSD□64GB□128GB
Android□□□	8GB eMMC□□□32GB TF□□□
□□□□	15.6□□□□□□
□□□□	15.6□□□11.6□□
□□□□	VFD□LCD
□□□	1366 * 768
□□□	□□□□□□□□

□□	350cd /□ ²
□□□□	□□□□150;□□□□140
J1900 I / O□□	VGA * 1□USB * 5□RS232 * 1□DC□□* 1 RJ45□□□□□□□□* 1□□□□□□* 1
RK3288 I / O□□	USB * 5□RS232 * 2□DC□□* 1□RJ11□□□□□□□□* 1 RJ45□□□□□□□□* 1□□□□□□* 1□MIC * 1
□□□□	0□40□□□□
□□□□	-20□60□□□□
□□□□□□	110-240V / 50-60HZ□□□□□□□□□□DC12 / 5A□□



POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01



