

15.6'' windows POS

POS -15T01-W / A

□□

□□□□□□;

15.6'' 1366 * 768 □□□□□□;

360 □□□□□□;

□□ Windows □ Android □;

□□□□□□;

□□□□ 15.6'' □□ 11.6'' □□□□□□;

MSR □□□□□□;

□□□□□□□□□□□□□□□□

□□

□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□□□□□□□

□□□□

□□	POS -15T01-W / A □□□□ Windows □ W □□□□ Android □ A □
□□①	□□□□ Windows □□□□ 1.99 GHz J1900N
□□②	□□□□ Android □□□□ 1.8GHz RK3288
Windows □□□□	□□□□□□ Windows 7 Ultimate □□□
Android □□□□	Android 6.0
Windows RAM	2GB □□ 4GB 8GB □□
Android RAM	2GB
Windows □□	32GB SSD □□□□ 64GB □ 128GB □□
Android □□	8GB eMMC □□□□ 32GB TF □□□□
□□□□	15.6'' □□□□□□
□□□□	15.6'' □□□□ 11.6'' □□
□□□□	VFD □ LCD
□□□□	1366 * 768
□□□□	□□□□□□□□

□□	□□350cd /□ ²
□□	□□□□150;□□□140
J1900 I / O□□	VGA * 1□USB * 5□RS232 * 1□DC□□* 1 RJ45□□□□□□□□* 1□□□□□□* 1
RK3288 I / O□□	USB * 5□RS232 * 2□DC□□* 1□RJ11□□□□□□□□□□* 1 RJ45□□□□□□□□* 1□□□□□□* 1□MIC * 1
□□□□	0□40□□□□
□□□□	-20□60□□□□
□□□□□□	110-240V / 50-60HZ□□□□□□□□□□DC12 / 5A□□



POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01



