

## 15.6

POS -15T01-W / A



15.6

1366 \* 768

360

Windows / Android

MSR

15.6 / 11.6

MSR

MSR

MSR

MSR

MSR

MSR

MSR

MSR

□□□□

□□	POS -15T01-W / A□Windows□□W□Android□□A□
□□1	Windows□□□1.99 GHz J1900N
□□2	□□□Android□□□1.8GHz RK3288
Windows□□□□	□□□□□Windows 7 Ultimate□□
Android□□□□	Android 6.0
Windows RAM	4GB□□8GB□□□□□□
Android RAM	2GB
Windows□□□□	64GB SSD□□□128GB□□□□□□
Android□□	8GB eMMC□□□32GB TF□□□□
□□□□	15.6□□□□□□
□□□□	15.6□□□□11.6□□
□□□□	VFD□LCD
□□□□	1366 * 768
□□□□	□□□□□□□□□□
□□	□□350cd /□ <sup>2</sup>
□□	□□□□150;□□□140
J1900 I / O□□	VGA * 1□USB * 5□RS232 * 1□□□□□* 1 RJ45□□□□□□□□* 1□□□□□□* 1
RK3288 I / O□□	USB * 5□RS232 * 2□□□□□□* 1□RJ11□□□□□□□□□□* 1 RJ45□□□□□□□□□□* 1□□□□□□□□* 1□MIC * 1
□□□□	0□40□□□□
□□□□	-20□60□□□□
□□□□□□	110-240V / 50-60HZ□□□□□□□□□□DC12 / 5A□□

□□□





POS-15T01





POS-15T01





POS-15T01





POS-15T01





POS-15T01



Product Page

<https://www.aocom inc.com/products/All-in-one- POS -Machine.htm>