

15.6 POS POS

M / N POS-E15-W / A

□□

| Windows Android

| Windows Intel Celeron J1900 2.0GHz CPU

| Android RK3288

| 2GB RAM + 8GB ROM Android

| 2GB RAM + 32GB SSD Windows

| 15.6

| 15.6 11.6

| 58 / 80mm

| MSR RFID

□□

|

|

|

|

□□□□



POS-E15



80MM thermal printer with automatic cutter



58MM large gear thermal printer



No disassembly, easy replacement





POS-E15





参数

| | |
|---------|--|
| 型号 | POS-E15.6-W / POS-E15.6-A |
| CPU① | ARM Cortex-A17 1900MHz 1.99GHz Windows |
| CPU② | RK3288 Android |
| OS① | Windows7 |
| OS② | Android 6.0 |
| Memory① | 2GB RAM 32GB SSD Windows |
| Memory② | 2GB RAM 8GB eMMC Android |
| 重量 | 1.5kg |
| 尺寸 | 15.6英寸 16:9 |
| 分辨率 | 1366 * 768 |
| 显示屏 | LCD 11.6英寸 15.6英寸 VFD |
| 接口 | USB |
| 厚度 | 58mm 80mm |

Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard
Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133;

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

“ ”