

15.6 POS POS

M / N POS-E15-W / A

□□

| Windows Android

| Windows Intel Celeron J1900 2.0GHz CPU

| Android RK3288

| 2GB RAM + 8GB ROM Android

| 2GB RAM + 32GB SSD Windows

| 15.6

| 15.6 11.6

| 58 / 80mm

| MSR RFID

□□

|

|

|

|

□□□□



POS-E15



80MM thermal printer with automatic cutter



58MM large gear thermal printer



No disassembly, easy replacement





POS-E15





参数

型号	POS-E15.6-W / POS-E15.6-A
CPU①	ARM Cortex-A17 1900MHz 1.99GHz Windows
CPU②	RK3288 Android
OS①	Windows7
OS②	Android 6.0
Memory①	2GB RAM 32GB SSD Windows
Memory②	2GB RAM 8GB eMMC Android
重量	1.5kg
尺寸	15.6英寸 16:9
分辨率	1366 * 768
显示屏	LCD 11.6英寸 15.6英寸 VFD
接口	USB
厚度	58mm 80mm

I / O ①J1900	USB * 6
	RJ45 * 1
	RJ11 * 1
	VGA * 1
	HDMI * 1
	DB9 RS232 * 2 COM * 4
I / O ②RK3288	RJ11 * 1 Optional
	TF * 1
	RJ45 * 1
	HDMI * 1
	USB * 2 * 4
	DB9 RS232 * 1
	* 1
Operating Temperature	0°C ~ 40°C
Android	WiFi
Windows	RFID MSR LCD VFD i-Button DB25 DB9 RS232 * 4
Android	3G 4G LCD VFD RFID MSR i-Button
Operating Temperature	-20°C ~ 60°C
Power Supply	110-240V / 50-60HZ AC 12 / 24V

①

①
①

①

2. ①&①

①

①

① / t/western union paypal ① aliexpress ①
① http://www.aliexpress.com/store/403448?tracelog = minisite_CI

3. ①

OCOM ①;

①500 ①100 ①

①12 + 1 ①24 ①;

①30 ① DOA ① DOA ①

①

4. ①

① T / T LC Western Union Escrow ① T / T Western

Union Escrow Paypal Escrow Alipay.com Moneybookers Visa MasterCard
Maestro Solo Carte Bleue Pos tePay CartaSi 4B Euro6000

5.

6.

Eruopean ...

133 1300 O2 500 50

OCOM

500 POS

O2 Star

1500 133;

9 OEM / ODM

POS 1

FCC CE Soncap POA BIS

12 + 1

“ ”